

Corporate Headquarters 6571 Wilson Mills Road Cleveland, Ohio 44143

Phone: 800-458-3330

This report package contains 45 pages.

This package contains reports from the following laboratories:

- National Testing Laboratories, Ltd. (7 pages)
- Pace Analytical Services, Inc.- Greensburg, PA (15 pages)
- Eurofins Eaton Analytical, Inc. (8 pages)
- con-test East Longmeadow, MA (Pace Analytical) (14 pages)

NELAP accredited #E87753



556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 470194 11/12/2024

Customer: Mountain Park Springs

Stewart Douglas 2835 Lowery St

Winston-Salem, NC 27101-6127

Source:

Mountain Park Springs

Source Type:

Well Water

Brand Name: Mountain Park Spring Water

Production Code: 28024 Container Size: 5 Gallon

Date/Time Received:

10/9/2024 09:44

Collected by:

Laboratory ID: 26700

S. Douglas

The results herein conform to TNI and ISO/IEC 17025:2017 standards, where applicable. These results may be used for compliance purposes, as required, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

Any 'Level Detected' marked with an asterisk (*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

"ND" This contaminant was not detected at or above our lower reporting limit (LRL)

"NA" Not Analyzed

"Standard"

This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA

Secondary Standards.

This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant. "LRL"

"DF" This column indicates the contaminant dilution factor.

Report Notes:

pH analysis has a 15 minute hold time from sampling to analysis. Analysis of pH past the 15 minute hold time should be considered an estimate. In addition, Chlorine, Chloramine and Chlorine Dioxide hold time is immediate, therefore results should be considered an estimate.

Fed Id#	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
				Inorga	nic Analy	tes - Metals				
1002	Aluminum	200.7	0.2	mg/L	0.05	ND	1	10/14/2024 12:41		11/7/2024
1074	Antimony	200.8	0.006	mg/L	0.003	ND	1	10/14/2024 12:41		11/1/2024
1005	Arsenic	200.8	0.010	mg/L	0.002	ND	1	10/14/2024 12:41		11/1/2024
1010	Barium	200.7	2	mg/L	0.10	ND	1	10/14/2024 12:41		11/7/2024
075	Beryllium	200.7	0.004	mg/L	0.001	ND	1	10/14/2024 12:41	15 4.2	11/7/2024
079	Boron	200.7	- L	mg/L	0.10	ND	1	10/14/2024 12:41		11/7/2024
015	Cadmium	200.7	0.005	mg/L	0.001	ND	1	10/14/2024 12:41		11/7/2024
016	Calcium	200.7		mg/L	2.0	8.5	1	10/14/2024 12:41		11/7/2024
020	Chromium	200.7	0.100	mg/L	0.007	ND	1	10/14/2024 12:41		11/7/2024
022	Copper	200.7	1.0	mg/L	0.002	ND	1	10/14/2024 12:41		11/7/2024
028	Iron	200.7	0.3	mg/L	0.020	ND	1	10/14/2024 12:41		11/7/2024
030	Lead	200.8	0.015	mg/L	0.001	ND	1	10/14/2024 12:41		11/1/2024
031	Magnesium	200.7	-	mg/L	0.10	5.30	1	10/14/2024 12:41		11/7/2024
032	Manganese	200.7	0.05	mg/L	0.004	ND	1	10/14/2024 12:41		11/7/2024
035	Mercury	200.8	0.002	mg/L	0.0002	ND	1	10/14/2024 12:41	THE	11/1/2024
036	Nickel	200.7	-	mg/L	0.005	ND	1	10/14/2024 12:41		11/7/2024
042	Potassium	200.7	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	mg/L	1.0	ND	1	10/14/2024 12:41		11/7/2024
045	Selenium	200.8	0.05	mg/L	0.002	ND	1	10/14/2024 12:41		11/1/2024
049	Silica	200.7	-	mg/L	0.05	21.00	1	10/14/2024 12:41	WEST STATE	11/7/2024

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

470194 FDABASE DR Date Printed: 11/12/2024 10:24:39 AM Page 1 of 6

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 470194 11/12/2024

Contaminant	Method	Standard	Units	LRL	Level Detected	Di	F	Date/Time Sampled		Date Prepped	Date/Time Analyzed	
Silver	200.7	0.10	mg/L	0.002	ND		1	10/14/2024	12:41		11/7/2024	
Sodium	200.7	-	mg/L	1	2		1	10/14/2024	12:41		11/7/2024	
Thallium	200.8	0.002	mg/L	0.001	ND		1	10/14/2024	12:41		11/1/2024	
Uranium	200.8	0.030	mg/L	0.001	ND		1	10/14/2024	12:41		11/1/2024	
Zinc	200.7	5.000	mg/L	0.004	0.067		1	10/14/2024	12:41	100	11/7/2024	
			Ph	ysical F	actors							
Alkalinity (Total as CaCO3)	2320B	4	mg/L	20	44		1	10/14/2024	12:41		10/21/2024	
Apparent Color	2120B	15	CU	3	ND		1	10/14/2024	12:41		10/14/2024	15:35
	2330B	216.9	SI		-1.76	R2	1	10/14/2024	12:41	To the same	11/7/2024	
	5540C	0.5	mg/L	0.1	ND		1	10/14/2024	12:41		10/16/2024	11:35
	ME	BAS, calcula	ated as Lir	near Alkyl	ate Sulfonate	(LAS), 1	mol	wt of 342.4 g	/mole			
Hardness	2340B	- 4 5 3	mg/L	5.0	43		1	10/14/2024	12:41		11/7/2024	
Odor Temperature	2150B	-	Deg, C		20		1	10/14/2024	12:41		10/14/2024	15:10
Odor Threshold	2150B	3	ton	1	ND		1	10/14/2024	12:41		10/14/2024	15:10
pH	150.1	6.5-8.5	pH Units		7.0	i di i	1	10/14/2024	12:41		10/14/2024	15:25
pH Temperature	150.1	_	Deg, C		23		1	10/14/2024	12:41		10/14/2024	15:25
Total Dissolved Solids	2540C	500	mg/L	5	66		1	10/14/2024	12:41		10/17/2024	
Turbidity	2130B	1	NTU	0.1	ND	HARR	1	10/14/2024	12:41		10/14/2024	15:30
			Inorgan	nic Analy	tes - Other							
Bromate	300.1	0.010	mg/L	0.005	ND		1	10/14/2024	12:41		10/21/2024	
	300.1	-	mg/L	0.005	ND	DEL.	1	10/14/2024	12:41		10/21/2024	
	4500CI-G	4.0	mg/L	0.05	ND		1	10/14/2024	12:41		10/14/2024	15:00
	300.0	250	mg/L	1.0	ND		1	10/14/2024	12:41		10/15/2024	12:42
	4500CI-G	4.0	mg/L	0.05	ND		1	10/14/2024	12:41		10/14/2024	14:56
Chlorine Dioxide as Cl02	4500Cl02D	0.8	mg/L	0.1	ND		1	10/14/2024	12:41		10/14/2024	15:05
Chlorite	300.1	1.0	mg/L	0.005	ND		1	10/14/2024	12:41		10/21/2024	
	300.0	4.0	mg/L	0.10	ND	1724	1	10/14/2024	12:41		10/15/2024	12:42
	300.0	10	mg/L	0.05	0.69		1	10/14/2024	12:41		10/15/2024	12:42
	300.0	1	mg/L	0.05	ND		1	10/14/2024	12:41		10/15/2024	12:42
			Sales Personal State		ND	F-11	1	10/14/2024	12:41		10/15/2024	12:42
		250			ND		1	10/14/2024	12:41		10/15/2024	12:42
	Days - Com	Ora			ribalometh	anes						
Bromodichloromethane	524.2 THMs		mg/L	0.0005	ND		1	10/14/2024	12:41		10/14/2024	
Bromoform	524.2	-	mg/L	0.0005	ND		1	10/14/2024	12:41		10/14/2024	
Chloroform	524.2 THMs	-	mg/L	0.0005	0.0012		1				10/14/2024	
			mg/L	0.0005	ND		1	10/14/2024	12:41		10/14/2024	
Dibromochloromethane Total THMs	524.2 THMs 524.2	0.080	mg/L	0.0005	0.0012		1	10/14/2024			10/14/2024	
	Sodium Thallium Uranium Zinc Alkalinity (Total as CaCO3) Apparent Color Corrosivity Foaming Agents Hardness Odor Temperature Odor Threshold pH pH Temperature Total Dissolved Solids Turbidity Bromate Bromide Chloramine as CI2 Chlorine Dioxide as CI02 Chlorite Fluoride Nitrate as N Nitrite as N Ortho Phosphate Sulfate Bromodichloromethane Bromodichloromethane Bromodichloromethane	Silver 200.7 Sodium 200.7 Thallium 200.8 Uranium 200.8 Zinc 200.7 Alkalinity (Total as CaCO3) 2320B Apparent Color 2120B Corrosivity 2330B Foaming Agents 5540C ME ME Hardness 2340B Odor Temperature 2150B Odor Threshold 2150B Odor Threshold 2150B PH 150.1 PH Temperature 150.1 Total Dissolved Solids 2540C Turbidity 2130B Bromate 300.1 Bromide 300.1 Chloramine as Cl2 4500Cl-G Chloride 300.0 Chlorine Dioxide as Cl02 4500Cl-G Chlorite 300.1 Fluoride 300.0 Nitrate as N 300.0 Ortho Phosphate 300.0 Sulfate 300.0 Bromodichloromethane 524.2 THMs Bromoform 524.2 THMs	Silver 200.7 0.10 Sodium 200.7 Thallium 200.8 0.002 Uranium 200.8 0.030 Zinc 200.7 5.000 Alkalinity (Total as CaCO3) 2320B Apparent Color 2120B 15 Corrosivity 2330B Foaming Agents 5540C 0.5 MBAS, calculated MBAS, calculated Hardness 2340B Odor Temperature 2150B Odor Threshold 2150B 3 pH Temperature 150.1 Total Dissolved Solids 2540C 500 Turbidity 2130B 1 Bromate 300.1 0.010 Bromide 300.1 Chloride 300.0 250 Chlorine as Cl2 4500Cl-G 4.0 Chlorite 300.1 1.0 Fluoride 300.0 4.0 Nitrate as N 300.0 1 Ortho Ph	Silver 200.7 0.10 mg/L Sodium 200.7 mg/L Thallium 200.8 0.002 mg/L Uranium 200.8 0.030 mg/L Zinc 200.7 5.000 mg/L Ph Alkalinity (Total as CaCO3) 2320B mg/L Apparent Color 2120B 15 CU Corrosivity 2330B sl Foaming Agents 5540C 0.5 mg/L Hardness 2340B mg/L Odor Temperature 2150B Deg, C Odor Threshold 2150B 3 ton pH 150.1 -6.5-8.5 pH Units pH Temperature 150.1 Deg, C Total Dissolved Solids 2540C 500 mg/L Turbidity 2130B 1 NTU Bromate 300.1 mg/L Chloriae 300.1 mg/L Chloride 300.0 250	Silver 200.7 0.10 mg/L 0.002 Sodium 200.7 mg/L 1 Thallium 200.8 0.002 mg/L 0.001 Uranium 200.8 0.030 mg/L 0.001 Zinc 200.7 5.000 mg/L 0.004 Physical F Alkalinity (Total as CaCO3) 2320B mg/L 20 Apparent Color 2120B 15 CU 3 Corrosivity 2330B mg/L 0.1 Foaming Agents 5540C 0.5 mg/L 0.1 Hardness 2340B mg/L 5.0 Odor Temperature 2150B mg/L 5.0 Odor Threshold 2150B 3 ton 1 pH Temperature 150.1 Deg, C Total Dissolved Solids 2540C 500 mg/L 5 Turbidity 2130B 1 NTU 0.1 Bromate 300.1 mg/L	Silver 200.7 0.10 mg/L 0.002 ND Sodium 200.7 - mg/L 1 2 Thallium 200.8 0.002 mg/L 0.001 ND Uranium 200.8 0.030 mg/L 0.004 0.067 Physical Factors Alkalinity (Total as CaCO3) 2320B - mg/L 20 44 Apparent Color 2120B 15 CU 3 ND Corrosivity 2330B - SI -1.76 -1.76 Foaming Agents 5540C 0.5 mg/L 0.1 ND Hardness 2340B - mg/L 5.0 43 Cdor Temperature 2150B - Deg, C 20 20 Odor Threshold 2150B - Deg, C 23 20 Ottal Dissolved Solids 2540C 500 mg/L 5 66 Turbidity 2130B 1 NTU	Silver 200.7 0.10 mg/L 0.002 ND Sodium 200.7 - mg/L 1 2 Thallium 200.8 0.020 mg/L 0.001 ND Uranium 200.8 0.030 mg/L 0.004 0.067 Zinc 200.7 5.000 mg/L 0.004 0.067 ***********************************	Silver 200.7 0.10 mg/L 0.002 ND 1 Sodium 200.7 - mg/L 1 2 1 Thallium 200.8 0.002 mg/L 0.001 ND 1 Uranium 200.8 0.030 mg/L 0.001 ND 1 Zinc 200.7 5.000 mg/L 0.004 0.067 1 Evertacles Jack Scalcular Scalcul	Silver	Silver	Silver	Silver

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 2 of 6 470194 FDABASE DR Date Printed: 11/12/2024 10:24:40 AM

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 470194 11/12/2024

ed ld #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled		Date Prepped	Date/Time Analyzed
2454	Dibromoacetic Acid	552.2 HA	As	ug/L	1.0	ND	1	10/14/2024	12:41	10/15/2024	10/23/2024
451	Dichloroacetic Acid	552.2 HA	As	ug/L	1.0	ND	1	10/14/2024	12:41	10/15/2024	10/23/2024
453	Monobromoacetic Acid	552.2 HA	As	ug/L	1.0	ND	1	10/14/2024	12:41	10/15/2024	10/23/2024
450	Monochloroacetic Acid	552.2 HA	As	ug/L	1.0	ND	1	10/14/2024	12:41	10/15/2024	10/23/2024
452	Trichloroacetic Acid	552.2 HAV	As	ug/L	1.0	ND	1	10/14/2024	12:41	10/15/2024	10/23/2024
456	Total HAAs	552.2 HA	As 60	ug/L	1.0	ND	1	10/14/2024	12:41	10/15/2024	10/23/2024
				Organi	c Analyte	s - Volatiles					
986	1,1,1,2-Tetrachloroethane	524.2	T-MAN	mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
981	1,1,1-Trichloroethane	524.2	0.2	mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
988	1,1,2,2-Tetrachloroethane	524.2		mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
985	1,1,2-Trichloroethane	524.2	0.005	mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
978	1,1-Dichloroethane	524.2	9-000	mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
977	1,1-Dichloroethene	524.2	0.007	mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
410	1,1-Dichloropropene	524.2		mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
420	1,2,3-Trichlorobenzene	524.2		mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
414	1,2,3-Trichloropropane	524.2		mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
378	1,2,4-Trichlorobenzene	524.2	0.07	mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
418	1,2,4-Trimethylbenzene	524.2		mg/L	0.0005	ND	1_	10/14/2024	12:41		10/14/2024
968	1,2-Dichlorobenzene	524.2	0.6	mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
980	1,2-Dichloroethane	524.2	0.005	mg/L	0.0005	ND	1	10/14/2024	12:41	artist process	10/14/2024
983	1,2-Dichloropropane	524.2	0.005	mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
424	1,3,5-Trimethylbenzene	524.2		mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
967	1,3-Dichlorobenzene	524.2		mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
412	1,3-Dichloropropane	524.2		mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
969	1,4-Dichlorobenzene	524.2	0.075	mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
416	2,2-Dichloropropane	524.2	K-1112	mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
965	2-Chlorotoluene	524.2	-	mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
966	4-Chlorotoluene	524.2		mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
030	4-Isopropyltoluene	524.2	-	mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
990	Benzene	524.2	0.005	mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
993	Bromobenzene	524.2	-	mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
430	Bromochloromethane	524.2	I- FIRS	mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
214	Bromomethane	524.2	-	mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
982	Carbon Tetrachloride	524.2	0.005	mg/L	0.0005	ND	1	10/14/2024	12:41	The state of	10/14/2024
989	Chlorobenzene	524.2	0.1	mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
216	Chloroethane	524.2		mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
210	Chloromethane	524.2	-	mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
380	cis-1,2-Dichloroethene	524.2	0.07	mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
228	cis-1,3-Dichloropropene	524.2		mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024
408	Dibromomethane	524.2	12	mg/L	0.0005	ND	1	10/14/2024	12:41		10/14/2024

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 3 of 6 470194 FDABASE DR Date Printed: 11/12/2024 10:24:41 AM

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 470194 11/12/2024

					11/12/20	24						
ed Id#	Contaminant	Method	Standard	Units	LRL	Level Detected		DF	Date/Time Sampled		Date Prepped	Date/Time Analyzed
2212	Dichlorodifluoromethane	524.2	-	mg/L	0.0005	ND		1	10/14/2024	12:41		10/14/2024
964	Dichloromethane	524.2	0.005	mg/L	0.0005	ND		1	10/14/2024	12:41		10/14/2024
992	Ethylbenzene	524.2	0.7	mg/L	0.0005	ND		1	10/14/2024	12:41		10/14/2024
246	Hexachlorobutadiene	524.2	-	mg/L	0.0005	ND	TO N	1	10/14/2024	12:41		10/14/2024
994	Isopropylbenzene	524.2		mg/L	0.0005	ND		1	10/14/2024	12:41		10/14/2024
251	Methyl Tert Butyl Ether	524.2	-	mg/L	0.0005	ND	F. 10	1	10/14/2024	12:41	Day San	10/14/2024
247	Methyl-Ethyl Ketone	524.2		mg/L	0.005	ND	R2	1	10/14/2024	12:41		10/14/2024
248	Naphthalene	524.2	-	mg/L	0.0005	ND		1	10/14/2024	12:41		10/14/2024
422	n-Butylbenzene	524.2	_	mg/L	0.0005	ND		1	10/14/2024	12:41		10/14/2024
997	o-Xylene	524.2	-	mg/L	0.0005	ND	THE R	1	10/14/2024	12:41	MATERIAL PROPERTY.	10/14/2024
963	p and m-Xylenes	524.2		mg/L	0.0010	ND		1	10/14/2024	12:41		10/14/2024
			oue to the lim			od 524.2, p	and m	isome	ers of Xylene	are repo	rted as aggreg	ate.
998	Propylbenzene	524.2	4	mg/L	0.0005	ND		1	10/14/2024	-		10/14/2024
428	sec-Butylbenzene	524.2		mg/L	0.0005	ND		1	10/14/2024	12:41		10/14/2024
996	Styrene	524.2	0.1	mg/L	0.0005	ND	5114	1	10/14/2024	12:41		10/14/2024
426	tert-Butylbenzene	524.2	-	mg/L	0.0005	ND		1	10/14/2024	12:41		10/14/2024
987	Tetrachloroethene	524.2	0.005	mg/L	0.0005	ND		1	10/14/2024	12:41		10/14/2024
991	Toluene	524.2	1	mg/L	0.0005	ND		1	10/14/2024	12:41		10/14/2024
979	trans-1,2-Dichloroethene	524.2	0.1	mg/L	0.0005	ND		1	10/14/2024	12:41		10/14/2024
224	trans-1,3-Dichloropropene	524.2		mg/L	0.0005	ND		1	10/14/2024	and the same		10/14/2024
984	Trichloroethene	524.2	0.005	mg/L	0.0005	ND		1	10/14/2024	12:41	DOWNSON THE	10/14/2024
218	Trichlorofluoromethane	524.2	_	mg/L	0.0005	ND		1	10/14/2024	The State of the S		10/14/2024
904	Trichlorotrifluoroethane	524.2		mg/L	0.0005	ND		1	10/14/2024	-		10/14/2024
976	Vinyl Chloride	524.2	0.002	mg/L	0.0005	ND		1	10/14/2024			10/14/2024
955	Xylenes (Total)	524.2	10	mg/L	0.0005	ND	A COLUMN	1	10/14/2024	_		10/14/2024
900	Aylelles (Total)	024.2							10/11/2021			
44.4	4.0.0 Tri-blananana	E04.1	0.00003	mg/L		s - Others		1	10/14/2024	12:41	10/21/2024	10/21/2024
414	1,2,3-Trichloropropane	504.1		-	0.00001	ND	No. of Street,	1	10/14/2024			10/21/2024
931	1,2-Dibromo-3-chloropropane	A CONTRACTOR OF THE PARTY OF TH	0.0002	mg/L	0.00001			1		A		10/21/2024
946	1,2-Dibromoethane	504.1	0.00005	mg/L	0.00001	ND		1	10/14/2024			10/24/2024
105	2,4-D	515.4	70	ug/L	0.1	ND			10/14/2024		10/11/2024	10/29/2024
066	3-Hydroxycarbofuran	531.2	-	ug/L	1.0	ND		1	10/14/2024	_	40/47/2024	
051	Alachlor	525.2	2	ug/L	0.2	ND		1	10/14/2024		10/17/2024	
047	Aldicarb	531.2	7	ug/L	1.0	ND		1	10/14/2024			10/29/2024
044	Aldicarb sulfone	531.2	7	ug/L	1.0	ND		1	10/14/2024			10/29/2024
043	Aldicarb sulfoxide	531.2	7	ug/L	1.0	ND		1	10/14/2024		40/04/0004	10/29/2024
356	Aldrin	505	-	mg/L	0.00007	ND	17.6	1	10/14/2024			10/21/2024
050	Atrazine	525.2	3	ug/L	0.1	ND		1	10/14/2024		10/17/2024	
625	Bentazon	515.4	-	ug/L	1	ND		1	10/14/2024			10/24/2024
306	Benzo(A)pyrene	525.2	0.2	ug/L	0.02	ND		1	10/14/2024		10/17/2024	
2076	Butachlor	525.2		ug/L	0.2	ND		1	10/14/2024	12:41	10/17/2024	
2021	Carbaryl	531.2		ug/L	1.0	ND		1	10/14/2024	12:41		10/29/2024

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 4 of 6 470194 FDABASE DR Date Printed: 11/12/2024 10:24:42 AM

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 470194 11/12/2024

Fed Id#	Contaminant	Method	Standard	Units	LRL	Level Detected		DF	Date/Time Sampled		Date Prepped	Date/Time Analyzed
2046	Carbofuran	531.2	40	ug/L	1.0	ND		1	10/14/2024	12:41		10/29/2024
2959	Chlordane	505	0.002	mg/L	0.0001	ND		1	10/14/2024	12:41	10/21/2024	10/21/2024
2031	Dalapon	515.4	200	ug/L	1	ND	J. Company	1	10/14/2024	12:41	10/17/2024	10/24/2024
2035	Di(2-ethylhexyl) adipate	525.2	400	ug/L	0.2	ND		1	10/14/2024	12:41	10/17/2024	11/7/2024
2039	Di(2-ethylhexyl) phthalate	525.2	6	ug/L	0.6	ND		1	10/14/2024	12:41	10/17/2024	11/7/2024
2440	Dicamba	515.4	-	ug/L	1	ND		1	10/14/2024	12:41	10/17/2024	10/24/2024
2933	Dichloran	505		mg/L	0.001	ND		1	10/14/2024	12:41	10/21/2024	10/21/2024
2070	Dieldrin	505		mg/L	0.00002	ND		1	10/14/2024	12:41	10/21/2024	10/21/2024
2041	Dinoseb	515.4	7	ug/L	0.2	ND		1	10/14/2024	12:41	10/17/2024	10/24/2024
2005	Endrin	505	0.002	mg/L	0.00001	ND	71.	1	10/14/2024	12:41	10/21/2024	10/21/2024
2065	Heptachlor	505	0.0004	mg/L	0.00001	ND		1	10/14/2024	12:41	10/21/2024	10/21/2024
2067	Heptachlor Epoxide	505	0.0002	mg/L	0.00001	ND		1	10/14/2024	12:41	10/21/2024	10/21/2024
2274	Hexachlorobenzene	505	0.001	mg/L	0.0001	ND	935	1	10/14/2024	12:41	10/21/2024	10/21/2024
2042	Hexachlorocyclopentadiene	505	0.05	mg/L	0.0001	ND	2011	1	10/14/2024	12:41	10/21/2024	10/21/2024
2010	Lindane	505	0.0002	mg/L	0.00002	ND		1	10/14/2024	12:41	10/21/2024	10/21/2024
2022	Methomyl	531.2	-	ug/L	1.0	ND		1	10/14/2024	12:41		10/29/2024
2015	Methoxychlor	505	0.04	mg/L	0.0001	ND		1	10/14/2024	12:41	10/21/2024	10/21/2024
2045	Metolachlor	525.2	-	ug/L	0.2	ND		1	10/14/2024	12:41	10/17/2024	11/7/2024
2595	Metribuzin	525.2	- 1	ug/L	0.2	ND	Fil.	1	10/14/2024	12:41	10/17/2024	11/7/2024
2626	Molinate	525.2		ug/L	0.2	ND		1	10/14/2024	12:41	10/17/2024	11/7/2024
2036	Oxamyl	531.2	200	ug/L	1.0	ND		1	10/14/2024	12:41		10/29/2024
2934	Pentachloronitrobenzene	505	-	mg/L	0.0001	ND		1	10/14/2024	12:41	10/21/2024	10/21/2024
2326	Pentachlorophenol	515.4	1	ug/L	0.04	ND		1	10/14/2024	12:41	10/17/2024	10/24/2024
2040	Picloram	515.4	500	ug/L	0.1	ND		1	10/14/2024	12:41	10/17/2024	10/24/2024
2077	Propachlor	525.2	-	ug/L	0.2	ND		1	10/14/2024	12:41	10/17/2024	11/7/2024
2110	Silvex 2,4,5-TP	515.4	50	ug/L	0.2	ND		1	10/14/2024	12:41	10/17/2024	10/24/2024
2037	Simazine	525.2	4	ug/L	0.07	ND		1	10/14/2024	12:41	10/17/2024	11/7/2024
2627	Thiobencarb	525.2	1-1	ug/L	0.2	ND		1	10/14/2024	12:41	10/17/2024	11/7/2024
2383	Total PCBs	505	0.0005	mg/L	0.0005	ND		1	10/14/2024	12:41	10/21/2024	10/21/2024
2910	Total Phenols	420.4	-	mg/L	0.001	ND	R2	1	10/14/2024	12:41		10/15/2024
2020	Toxaphene	505	0.003	mg/L	0.001	ND	S. C.	1	10/14/2024	12:41	10/21/2024	10/21/2024
2055	Trifluralin	505		mg/L	0.001	ND		1	10/14/2024	12:41	10/21/2024	10/21/2024

Qualifiers:

R2: The laboratory is not licensed for this parameter. The reported result cannot be used for compliance purposes.

Page 5 of 6 470194 FDABASE DR Date Printed: 11/12/2024 10:24:43 AM

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 470194 11/12/2024

Fed Id # Contaminant

Method

Standard

Units

LRL

Level Detected DF

Date/Time Sampled Date Prepped Date/Time Analyzed



Analyst	Tests
ZSC	200.7,2330B,2340B
DMJ	200.8
SP	2320B,2120B,5540C,2150B,150.1,2130B
CF	2540C
SG	300.1,300.0
DHG	4500Cl-G,4500Cl02D,420.4
SB	524.2 THMs,524.2,531.2
BNF	552.2 HAAs,504.1,515.4,505
JLF	525.2

Laboratory ID: 26700

National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 470193 11/12/2024

Customer: Mountain Park Springs

Stewart Douglas 2835 Lowery St

Winston-Salem, NC 27101-6127

Mountain Park Springs Source:

Source Type: Well Water

Mountain Park Spring Water **Brand Name:**

Production Code: 28024 Container Size: 5 Gallon

Date/Time Received:

Collected by:

10/9/2024 09:44 S. Douglas

The results herein conform to TNI and ISO/IEC 17025:2017 standards, where applicable. These results may be used for compliance purposes, as required, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S.

Eastern Time. Legend: Any 'Level Detected' marked with an asterisk (*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

This contaminant was not detected at or above our lower reporting limit (LRL) "ND"

"NA" Not Analyzed

This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA "Standard"

Secondary Standards.

This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant. "LRL"

"DF" This column indicates the contaminant dilution factor.

Report Notes:

Fed Id#	Contaminant	Method	Standard	Units LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed	
				Microbio	logicals					
3114	E. Coli	9223B	1	MPN/100 1 mL	ND	1	10/14/2024 12:41		10/15/2024 1	3:00
3001	Standard Plate Count	9215B	500	CFU/ml 1	27 A	6 1	10/14/2024 12:41		10/15/2024 1	2:20
			Pour Plate M	lethod, 35°C/48hr,	Plate Count Agar					
3000	Total Coliform	9223B	1	MPN/100 1 mL	ND	1	10/14/2024 12:41		10/15/2024 1	3:00

Qualifiers:

A6: The colony count for SPC bacteria is outside the method specifications and the result should be considered as estimated CFU per milliliter.

Tests Analyst 9223B,9215B GK

Megan Gregg, Quality System Manager





Project: Pace Project No.:

2250141 30726623

Method:

EPA 900.0

Description: 900.0 Gross Alpha/Beta National Testing Laboratories, Ltd.

Client: Date:

November 06, 2024

General Information:

1 sample was analyzed for EPA 900.0 by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:





Project: Pace Project No.:

2250141 30726623

Method:

EPA 903.1

Description: 903.1 Radium 226, DW

Client: Date:

National Testing Laboratories, Ltd. November 06, 2024

General Information:

1 sample was analyzed for EPA 903.1 by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:





Project:
Pace Project No.:

2250141 30726623

Method: EP/

EPA 904.0

Description: 904.0 Radium 228, DW

Client:

National Testing Laboratories, Ltd.

Date:

November 06, 2024

General Information:

1 sample was analyzed for EPA 904.0 by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:





Project:
Pace Project No.:

2250141 30726623

Method: Total Radium Calculation
Description: Total Radium 228+226

Client:

National Testing Laboratories, Ltd.

Date:

November 06, 2024

General Information:

1 sample was analyzed for Total Radium Calculation by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.



ANALYTICAL RESULTS - RADIOCHEMISTRY

Project: Pace Project No.:

2250141 30726623

Sample: 470194

Lab ID: 30726623001

Collected: 10/14/24 12:41 Received: 10/16/24 09:50 Matrix: Drinking Water

PWS:

Sample Type:

Comments: • FINISHED PRODUCT, Mountain Park Springs, Dobson, NC

Mountain Park Spring Water, Prod. code: 28024, Cont. size: 18.9 L / 5 Gallons
 sample opened 10/14/24 @ 12:41 by AM

• The sampler's name and signature were not listed on the COC.

• Sample collection dates and times were not present on the sample containers.

• Upon receipt at the laboratory, 2.5 mls of nitric acid were added to the sample to meet the sample preservation requirement of pH

<2 for radiochemistry analysis, where the method requires preservation, in drinking water.

• The samples were preserved pH <2 within the required 5 days of collection (EPA 815-R-05-004).

Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
	Pace Analytica	I Services - Greensburg				
Gross Alpha	EPA 900.0	0.173 ± 0.797 (2.05) C:NA T:NA	pCi/L	11/05/24 06:52	12587-46-1	
Gross Beta	EPA 900.0	0.831 ± 0.789 (1.65) C:NA T:NA	pCi/L	11/05/24 06:52	12587-47-2	
	Pace Analytica	l Services - Greensburg				
Radium-226	EPA 903.1	0.967 ± 0.460 (0.154) C:NA T:91%	pCi/L	10/31/24 13:29	13982-63-3	
	Pace Analytica	l Services - Greensburg				
Radium-228	EPA 904.0	0.649 ± 0.357 (0.677) C:79% T:85%	pCi/L	10/31/24 11:12	15262-20-1	
	Pace Analytica	l Services - Greensburg				
Total Radium	Total Radium Calculation	1.62 ± 0.817 (0.831)	pCi/L	11/01/24 14:15	7440-14-4	





QUALITY CONTROL - RADIOCHEMISTRY

Project:

QC Batch Method:

2250141

Pace Project No.: QC Batch:

30726623

703567

Analysis Method:

EPA 904.0

EPA 904.0

Analysis Description:

Matrix: Drinking Water

904.0 Radium 228, DW

Laboratory:

Pace Analytical Services - Greensburg

Associated Lab Samples:

30726623001

METHOD BLANK: 3426136 Associated Lab Samples:

30726623001

Parameter

Act ± Unc (MDC) Carr Trac

Units

Analyzed

Qualifiers

Radium-228

0.241 ± 0.339 (0.732) C:80% T:80%

pCi/L

10/31/24 11:11

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.



QUALITY CONTROL - RADIOCHEMISTRY

Project:
Pace Project No.:

2250141 30726623

QC Batch:

703566

Analysis Method:

EPA 903.1

QC Batch Method:

EPA 903.1

Analysis Description:

903.1 Radium-226, DW

Laboratory:

Pace Analytical Services - Greensburg

Associated Lab Samples:

30726623001

METHOD BLANK: 3426133

133

Matrix: Drinking Water

Associated Lab Samples:

30726623001

Parameter

Act ± Unc (MDC) Carr Trac

Units

Analyzed

Qualifiers

Radium-226

0.333 ± 0.247 (0.129) C:NA T:92%

pCi/L

10/31/24 13:29

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.





QUALITY CONTROL - RADIOCHEMISTRY

Project: Pace Project No.:

QC Batch Method:

2250141 30726623

QC Batch:

Gross Alpha

Gross Beta

703859 EPA 900.0 Analysis Method: Analysis Description: EPA 900.0

900.0 Gross Alpha/Beta

Laboratory:

Pace Analytical Services - Greensburg

Associated Lab Samples:

30726623001

METHOD BLANK: 3427629

Matrix: Water

Associated Lab Samples:

30726623001

Qualifiers Parameter Act ± Unc (MDC) Carr Trac Units Analyzed pCi/L 11/04/24 07:20 -0.316 ± 0.485 (1.78) C:NA T:NA 11/04/24 07:20 pCi/L 0.116 ± 0.567 (1.41) C:NA T:NA

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.





QUALIFIERS

Project:

2250141

Pace Project No.:

30726623

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Act - Activity

Date: 11/06/2024 03:20 PM

Unc - Uncertainty: For Safe Drinking Water Act (SDWA) analyses, the reported Unc. Is the calculated Count Uncertainty (95% confidence interval) using a coverage factor of 1.96. For all other matrices (non-SDWA), the reported Unc. is the calculated Expanded Uncertainty (aka Combined Standard Uncertainty, CSU), reported at the 95% confidence interval using a coverage factor of 1.96.

Gamma Spec: The Unc. reported for all gamma-spectroscopy analyses (EPA 901.1), is the calculated Expanded Uncertainty (CSU) at the 95.4% confidence interval, using a coverage factor of 2.0.

(MDC) - Minimum Detectable Concentration

Trac - Tracer Recovery (%)

Carr - Carrier Recovery (%)

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.





QUALITY CONTROL DATA CROSS REFERENCE TABLE


Project:

2250141

Pace Project No.: 30726623

Date: 11/06/2024 03:20 PM

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytica Batch
30726623001	470194	EPA 900.0	703859		
30726623001	470194	EPA 903.1	703566		
30726623001	470194	EPA 904.0	703567		
30726623001	470194	Total Radium Calculation	706821		





CERTIFICATIONS

Project:

2250141

Pace Project No.:

30726623

Pace Analytical Services Pennsylvania

1638 Roseytown Rd Suites 2,3&4, Greensburg, PA 15601

ANAB DOD-ELAP Rad Accreditation #: L2417 ANABISO/IEC 17025:2017 Rad Cert#: L24170

Alabama Certification #: 41590 Arizona Certification #: AZ0734

Arkansas Certification

California Certification #: 2950 Colorado Certification #: PA01547 Connecticut Certification #: PH-0694

EPA Region 4 DW Rad

Florida/TNI Certification #: E87683 Georgia Certification #: C040

Guam Certification
Hawaii Certification
Idaho Certification
Illinois Certification
Indiana Certification
Iowa Certification #: 391
Kansas Certification #: E-10358
Kentucky Certification #: KY90133
KY WW Permit #: KY0098221
KY WW Permit #: KY0000221

Louisiana DHH/TNI Certification #: LA010 Louisiana DEQ/TNI Certification #: 04086

Maine Certification #: 2023021 Maryland Certification #: 308

Massachusetts Certification #: M-PA1457 Michigan/PADEP Certification #: 9991 Missouri Certification #: 235 Montana Certification #: Cert0082 Nebraska Certification #: NE-OS-29-14 Nevada Certification #: PA014572023-03

New Hampshire/TNI Certification #: 297622 New Jersey/TNI Certification #: PA051

New Mexico Certification #: PA01457 New York/TNI Certification #: 10888 North Carolina Certification #: 42706

North Dakota Certification #: R-190
Ohio FPA Rad Approval: #41249

Ohio EPA Rad Approval: #41249 Oregon/TNI Certification #: PA200002-015


Pennsylvania/TNI Certification #: 65-00282 Puerto Rico Certification #: PA01457 Rhode Island Certification #: 65-00282

South Dakota Certification

Tennessee Certification #: TN02867

Texas/TNI Certification #: T104704188-22-18
Utah/TNI Certification #: PA014572223-14
USDA Soil Permit #: 525-23-67-77263
Vermont Dept. of Health: ID# VT-0282
Virgin Island/PADEP Certification
Virginia/VELAP Certification #: 460198
Washington Certification #: C868
West Virginia DEP Certification #: 143

West Virginia DHHR Certification #: 9964C Wisconsin Approve List for Rad





SAMPLE SUMMARY

Project:

2250141

Pace Project No.: 30726623

Lab ID	Sample ID	Matrix	Date Collected	Date Received
30726623001	470194	Drinking Water	10/14/24 12:41	10/16/24 09:50



SAMPLE ANALYTE COUNT

Project:

2250141

Pace Project No.:

30726623

				Analytes	
Lab ID	Sample ID	Method	Analysts	Reported	Laboratory
30726623001	470194	EPA 900.0	KET	2	PASI-PA
		EPA 903.1	LL1	1	PASI-PA
		EPA 904.0	JJS1	1	PASI-PA
		Total Radium Calculation	JAL	1	PASI-PA

PASI-PA = Pace Analytical Services - Greensburg



Due Date: 11/06/24

1-800-458-3330

CLIENT: NTL

Rev: SRT102120

Beverage - Finished Product

Order Number:

2250141

Order Date:

9/17/2024

Sample Number:

470194

Product:

FDABASE DR

Paid: No

TSR: SBW

Method: Purchase

P.O.: Winston-Salem,

Order

NC

For Laboratory Use ONLY

		Lab Accounting Information:
	NC 27101-6127	Payment \$:
Winston-Salem	NC 27101-6127	Check #:
		Lab Comments/Special Instructions:
		Spring Product
If finished product is submitted in la	aboratory containers, complete the following information.	
	/Time Opened::	'\WV\3
Check Tir	me Zone: EST CST MST PS	
Client Name:		State Forms:
Agents to work for a plant of the first to the part of the first to the first to the part of the first to the first		
CONTROL DESCRIPTION OF THE PROPERTY OF THE PRO		Lab Sample Information:
Fax Number:		Date Received: RECEIVED, OCT 0 9 2024
PWS ID# (if applicable):		
Source Type: Spring	₩ell Municipal	Time Received: : 0944
Other:	7	Received By:
Source Name:	Mountain Park Springs	Date Opened: <u>00T 1 4 2024</u>
GODICO ITAINO	nation is REQUIRED for All Finished Products)	Time Opened: 12:41
City & State:	Dobson, NC	Opened By: 1, Mon & Souly
Separation and the community of the public described that	(If different than Above)	Sample receipt criteria checked & acceptable
Product Collected By:	AT	Deviations from acceptable sample receipt criteria noted
. ((Signature) Stewart Douglas	on PSA form.
Product Collected By:		
Brand Name/Product Type:	(Please Print) Mountain Park Spring Water	
	e.g. XYZ Spring Water or XYZ Distilled Water	
	18.9 L / 5 Gallons	IF PENNSYLVANIA REPORTING IS REQUIRED AND YOUR PRODUCT IS GREATER THAN 1.77 LITERS, PLEASE PROVIDE
Production Code/Lot Numbe	r: 28024	THE FOLLOWING:
	Stewart Douglas	Penn. PWS ID#:
onn completed by:		Location:
Additional Comments:		

	DC#_Title: ENV-FRM Greensburg	I-GBL	IR-00	88 v	07_Sample Cc	WO#: 30726623			
/Pace	Effective Date: 01/04/2024	4				CLIENT: NTL			
Client Name:	NTL				Pro	0			
	d - Duana Deliana	ПС		ial [Pace Other		Initial / Date		
Courier: 🗌 Fed	EX JUPS USPS Client er: 12 AIV 931 C	7/7	33	33	487	Examined	By: 8410/16/24		
Tracking Number			•			An a Laborat D	£ 10/16/24		
Thermometer U	sed: Ty		ce: V	Vet B	Intact: Yes A	Temped B	y:		
Cooler Tempera	ture: Observed Temp		.∘C	Corre	ection Factor:	oC Final	Temp:°C		
Temp should be abo	ve freezing to 6°C				pH paper Lot#	D.P.D. Res	idual Chlorine Lot #		
Comments:		Yes	No	NA	1001011				
Chain of Custody	Present				1.				
Chain of Custody	Filled Out:	/	_		2.				
-Were client	corrections present on COC	1	/	1-	12				
Chain of Custody	Relinquished	/	-	-	3.		de		
Sampler Name &	Signature on COC:			-	5. No sample co	Hectiondate	TIME ON SINGLOS		
Sample Labels ma	atch COC:				5.740		12001		
-includes dat	e/time/ID	W				•			
Matrix:			1		6.				
Samples Arrived	within Hold Time:	/	-		7.				
Short Hold Time	Analysis (<72hr				,,				
remaining):	d Time Basuastad:				8.				
	d Time Requested:	/			9.				
Sufficient Volume Correct Container					10.				
-Pace Container	ers Used								
Containers Intact:					11.				
Orthophosphate f	ield filtered:				- 12.				
Hex Cr Aqueous sa	amples field filtered:				13.				
Organic Samples C	hecked for dichlorination		-1		14:				
Filtered volume re	ceived for dissolved tests:				15: 16.				
All containers che	cked for preservation:				111-170	Eml HNO	to each of		
exceptions: VC Phenolics, Rad	DA, coliform, TOC, O&G, lon, non-aqueous matrix				the 3 B!	105 Pru	Moreu		
All containers mee	et method preservation				Initial when completed	Preservation	0/16/24 //40		
requirements:	L				Lot# of added 30Z Preservative	9709			
				-					
8260C/D: Headspa	ce in VOA Vials (> 6mm)		_	4	17.				
624.1: Headspace	in VOA Vials (0mm)			/	18.				
	in RAD Vials (0mm)		-	4	19. Trip blank custo	dy seal present?	YES or NO		
Trip Blank Present:			_	4			Survey Meter 14380		
Rad Samples Scree	ned <.05 mrem/hr.				completed E	Date: 10/16/24	SN:25 0/738 U		
Comments:									

Note: For NC compliance samples with discrepancies, a copy of this form must be sent to the DEHNR Certification office.

PM Review is documented electronically in LIMS through the SRF Review schedule in the Workorder Edit Screen.

Qualtrax ID: 55680

Case Narrative

Client: National Testing Laboratories, Ltd

Project: 470194 / 2250141

Job ID: 810-124557-1

Eurofins Eaton Analytical South Bend

Job ID: 810-124557-1

Job Narrative 810-124557-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

The sample was received on 10/16/2024 9:00 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.8°C.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Client Sample Results

Client: National Testing Laboratories, Ltd

Client Sample ID: 470194 / 2250141

Project/Site: 470194 / 2250141

Job ID: 810-124557-1

Lab Sample ID: 810-124557-1

Matrix: Drinking Water

Date Collected: 10/14/24 12:41 Date Received: 10/16/24 09:00

 General Chemistry

 Analyte
 Result
 Qualifier
 RL
 MDL
 Unit
 D
 Prepared

 Cyanide, Total (EPA 335.4)
 <0.0050</td>
 0.0050
 mg/L
 10/17/24 09:

 Prepared
 Analyzed
 Dil Fac

 10/17/24 09:17
 10/17/24 11:06
 1

5

7

9

Definitions/Glossary

Client: National Testing Laboratories, Ltd

Project/Site: 470194 / 2250141

Job ID: 810-124557-1

	7	٠	٠	

Abbreviation	These commonly used abbreviations may or may not be present in this report.
‡	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit

ML Minimum Level (Dioxin)
MPN Most Probable Number
MQL Method Quantitation Limit
NC Not Calculated
ND Not Detected at the report

ND Not Detected at the reporting limit (or MDL or EDL if shown)

NEG Negative / Absent
POS Positive / Present

PQL Practical Quantitation Limit

PRES Presumptive
QC Quality Control

RER Relative Error Ratio (Radiochemistry)

RL Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin)
TEQ Toxicity Equivalent Quotient (Dioxin)

TNTC Too Numerous To Count

Lab Chronicle

Client: National Testing Laboratories, Ltd

Project/Site: 470194 / 2250141

Client Sample ID: 470194 / 2250141

Date Collected: 10/14/24 12:41 Date Received: 10/16/24 09:00

Lab	Sample	ID:	810-1	24557-	1
	Ms	atriv.	Drink	ing Wate	100

Job ID: 810-124557-1

	Batch	Batch		Dilution	Batch			Prepared
Prep Type	Type	Method	Run	Factor	Number	Analyst	Lab	or Analyzed
Total/NA	Prep	Distill/CN			119257	KH	EA SB	10/17/24 09:17
Total/NA	Analysis	335.4		1	119308	KH	EA SB	10/17/24 11:06

Laboratory References:

EA SB = Eurofins Eaton Analytical South Bend, 110 S Hill Street, South Bend, IN 46617, TEL (574)233-4777













Accreditation/Certification Summary

Client: National Testing Laboratories, Ltd

Project/Site: 470194 / 2250141

Job ID: 810-124557-1

Laboratory: Eurofins Eaton Analytical South Bend

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Progra	am	Identification Number	Expiration Date
Ohio	State		87775	06-30-25
			ertified by the governing authori	ty. This list may include analyte
			ertified by the governing authori	ty. This list may include analyte
	s are included in this repo does not offer certification Prep Method		ertified by the governing authori Analyte	ty. This list may include analyte

3

4

5

7

8

9

Method Summary

Client: National Testing Laboratories, Ltd

Project/Site: 470194 / 2250141

Job ID: 810-124557-1

Method	Method Description	Protocol	Laboratory
335.4	Cyanide, Total	EPA	EA SB
Distill/CN	Distillation, Cyanide	None	EA SB

Protocol References:

EPA = US Environmental Protection Agency None = None

Laboratory References:

EA SB = Eurofins Eaton Analytical South Bend, 110 S Hill Street, South Bend, IN 46617, TEL (574)233-4777

O

6

7

8

9

Sample Summary

Client: National Testing Laboratories, Ltd

Project/Site: 470194 / 2250141

Job ID: 810-124557-1

2

 Lab Sample ID
 Client Sample ID
 Matrix
 Collected
 Received

 810-124557-1
 470194 / 2250141
 Drinking Water
 10/14/24 12:41
 10/16/24 09:00

4

5

6

9

10

Quality Water Analysis

1-800-458-3330

Beverage - Finished Product

Order Number:

2250141

Order Date:

9/17/2024

Sample Number:

470194

Product:

FDABASE DR

Paid: No

Method: Purchase

Order

P.O.: Winston-Salem,

NC

N

TSR: SBW

		For Laboratory Use ONLY
		Lab Accounting Information:
Winston-Salem	NC 27101-6127	Payment \$:
VVIII SIGNIFICATION	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Check #:
		Lab Comments/Special Instructions:
		Spring Product
If finished product is submitted in I	aboratory containers, complete the following information.	
Date Opened: /	/ Time Opened::	
	Please Use Military Time, e.g. 3:00pm = 15:00	
Check Ti	me Zone: EST CST MST PST	
Client Name:		State Forms:
Phone Number:		
Fax Number:		Date Received: RECEIVED, OCT 0 9 2024
PWS D# (if applicable):		Time Received: : 0944
Source Type: Spring Other:	Well Municipal	Received By:
Source Name:	Mountain Park Springs	Date Opened: <u>007 1 4 2024</u>
(Source Infor	mation is REQUIRED for All Finished Products)	Time Opened: 12:41
City & State:	Dobson, NC	Opened By: Non York
	(if different than Apove)	Sample receipt criteria checked & acceptable
Product Collected By:		Deviations from acceptable sample receipt criteria noted on PSA form.
	(Signature) Stewart Douglas	
Product Collected By:	(Please Print)	
Brand Name/Product Type:		
	e.g. XYZ Spring Water or XYZ Distilled Water	
Container Size:	18.9 L / 5 Gallons	IF PENNSYLVANIA REPORTING IS REQUIRED AND YOUR PRODUCT IS GREATER THAN 1.77 LITERS, PLEASE PROVIDE
Production Code/Lot Numb	er: 28024	THE FOLLOWING: Penn. PWS ID#:
Form Completed By:	Stewart Douglas	Location:
Additional Comments:		
14-4		

Rev: SRT/102120

INCOMPLETE INFORMATION MAY DELAY ANALYSIS AND/OR INVALIDATE RESULTS



October 24, 2024

Christine Macmillan National Testing Laboratories, LTD 6571 Wilson Mills Road Cleveland, OH 44143

Project Location: 2250141 Client Job Number: Project Number: [none]

Laboratory Work Order Number: 24J2384

Enclosed are results of analyses for samples as received by the laboratory on October 16, 2024. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Karriem G. Marius Project Manager

Table of Contents

Sample Summary	3
Case Narrative	4
Sample Results	5
24J2384-01	5
24J2384-02	6
Sample Preparation Information	7
QC Data	8
Semivolatile Organic Compounds by - LC/MS-MS	8
B389887	. 8
Flag/Qualifier Summary	10
Certifications	11
Chain of Custody/Sample Receipt	12



National Testing Laboratories, LTD 6571 Wilson Mills Road Cleveland, OH 44143 ATTN: Christine Macmillan

REPORT DATE: 10/24/2024

PURCHASE ORDER NUMBER:

PROJECT NUMBER: [none]

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 24J2

24J2384

The results of analyses performed on the following samples submitted to Con-Test, a Pace Analytical Laboratory, are found in this report.

PROJECT LOCATION:

FIELD SAMPLE#	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
470195	24J2384-01	Drinking Water		EPA 537.1	
470195 FB	24J2384-02	Field Blank		EPA 537.1	



CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

 $The \ results \ of \ analyses \ reported \ only \ relate \ to \ samples \ submitted \ to \ Con-Test, \ a \ Pace \ Analytical \ Laboratory, \ for \ testing.$

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Lisa A. Worthington
Technical Representative

na Watshusta



Sample Description:

103

Work Order: 24J2384

Project Location: 2250141
Date Received: 10/16/2024
Field Sample #: 470195

Sampled: 10/14/2024 12:41

Sample ID: 24J2384-01
Sample Matrix: Drinking Water

D5-NEtFOSAA

-			Semiv	olatile Organi	ic Compoun	ds by - LC/	MS-MS				
				MCL/SMCL					Date	Date/Time	
Analyte	Results	RL	DL	MA ORSG	Units	DF	Flag/Qual	Method	Prepared	Analyzed	Analyst
Perfluorobutanesulfonic acid (PFBS)	ND	1.9	0.76		ng/L	1		EPA 537.1	10/21/24	10/22/24 19:39	CML
Perfluorohexanoic acid (PFHxA)	ND	1.9	1.0		ng/L	1		EPA 537.1	10/21/24	10/22/24 19:39	CML
Perfluorohexanesulfonic acid (PFHxS)	ND	1.9	0.91		ng/L	1		EPA 537.1	10/21/24	10/22/24 19:39	CML
Perfluoroheptanoic acid (PFHpA)	ND	1.9	0.93		ng/L	1		EPA 537.1	10/21/24	10/22/24 19:39	CML
Perfluorooctanoic acid (PFOA)	ND	1.9	1.1		ng/L	1		EPA 537.1	10/21/24	10/22/24 19:39	CML
Perfluorooctanesulfonic acid (PFOS)	ND	1.9	0.85		ng/L	1		EPA 537.1	10/21/24	10/22/24 19:39	CML
Perfluorononanoic acid (PFNA)	ND	1.9	0.94		ng/L	1		EPA 537.1	10/21/24	10/22/24 19:39	CML
Perfluorodecanoic acid (PFDA)	ND	1.9	0.92		ng/L	1		EPA 537.1	10/21/24	10/22/24 19:39	CML
N-EtFOSAA (NEtFOSAA)	ND	1.9	0.86		ng/L	1		EPA 537.1	10/21/24	10/22/24 19:39	CML
Perfluoroundecanoic acid (PFUnA)	ND	1.9	0.91		ng/L	1		EPA 537.1	10/21/24	10/22/24 19:39	CML
N-MeFOSAA (NMeFOSAA)	ND	1.9	0.82		ng/L	1		EPA 537.1	10/21/24	10/22/24 19:39	CML
Perfluorododecanoic acid (PFDoA)	ND	1.9	0.87		ng/L	1		EPA 537.1	10/21/24	10/22/24 19:39	CML
Perfluorotridecanoic acid (PFTrDA)	ND	1.9	0.85		ng/L	1		EPA 537.1	10/21/24	10/22/24 19:39	CML
Perfluorotetradecanoic acid (PFTA)	ND	1.9	0.85		ng/L	1		EPA 537.1	10/21/24	10/22/24 19:39	CML
Hexafluoropropylene oxide dimer acid (HFPO-DA)	ND	1.9	1.4		ng/L	1		EPA 537.1	10/21/24	10/22/24 19:39	CML
11Cl-PF3OUdS (F53B Major)	ND	1.9	0.73		ng/L	1		EPA 537.1	10/21/24	10/22/24 19:39	CML
9C1-PF3ONS (F53B Minor)	ND	1.9	0.81		ng/L	1		EPA 537.1	10/21/24	10/22/24 19:39	CML
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	1.9	0.95		ng/L	1		EPA 537.1	10/21/24	10/22/24 19:39	CML
Surrogates		% F	Recovery	Recovery	y Limits		Flag/Qual				
13C-PFHxA		96.	9	70-1	130					10/22/24 19:39	
M3HFPO-DA		98.	5	70-1	130					10/22/24 19:39	
13C-PFDA		99.	2	70-1	130					10/22/24 19:39	

70-130

10/22/24 19:39



Sample Description:

Work Order: 24J2384

Date Received: 10/16/2024 Field Sample #: 470195 FB

Project Location: 2250141

Sampled: 10/14/2024 12:41

Sample ID: 24J2384-02 Sample Matrix: Field Blank

Sample Matrix: Field Blank			Samiral	atile Organic Compoun	de by - I C	/MS-MS				
			Semivor	attie Organic Compoun	us by - LC	1113-1113				
								Date	Date/Time	
Analyte	Results	RL	DL	Units	DF	Flag/Qual	Method	Prepared	Analyzed	Analyst
Perfluorobutanesulfonic acid (PFBS)	ND	2.0	0.82	ng/L	1		EPA 537.1	10/21/24	10/22/24 19:46	CML
Perfluorohexanoic acid (PFHxA)	ND	2.0	1.1	ng/L	1		EPA 537.1	10/21/24	10/22/24 19:46	CML
Perfluorohexanesulfonic acid (PFHxS)	ND	2.0	0.98	ng/L	1		EPA 537.1	10/21/24	10/22/24 19:46	CML
Perfluoroheptanoic acid (PFHpA)	ND	2.0	1.0	ng/L	1		EPA 537.1	10/21/24	10/22/24 19:46	CML
Perfluorooctanoic acid (PFOA)	ND	2.0	1.2	ng/L	1		EPA 537.1	10/21/24	10/22/24 19:46	CML
Perfluorooctanesulfonic acid (PFOS)	ND	2.0	0.92	ng/L	1		EPA 537.1	10/21/24	10/22/24 19:46	CML
Perfluorononanoic acid (PFNA)	ND	2.0	1.0	ng/L	1		EPA 537.1	10/21/24	10/22/24 19:46	CML
Perfluorodecanoic acid (PFDA)	ND	2.0	0.99	ng/L	- 1		EPA 537.1	10/21/24	10/22/24 19:46	CML
N-EtFOSAA (NEtFOSAA)	ND	2.0	0.92	ng/L	1		EPA 537.1	10/21/24	10/22/24 19:46	CML
Perfluoroundecanoic acid (PFUnA)	ND	2.0	0.97	ng/L	1		EPA 537.1	10/21/24	10/22/24 19:46	CML
N-MeFOSAA (NMeFOSAA)	ND	2.0	0.89	ng/L	1		EPA 537.1	10/21/24	10/22/24 19:46	CML
Perfluorododecanoic acid (PFDoA)	ND	2.0	0.93	ng/L	1		EPA 537.1	10/21/24	10/22/24 19:46	CML
Perfluorotridecanoic acid (PFTrDA)	ND	2.0	0.92	ng/L	1		EPA 537.1	10/21/24	10/22/24 19:46	CML
Perfluorotetradecanoic acid (PFTA)	ND	2.0	0.91	ng/L	1		EPA 537.1	10/21/24	10/22/24 19:46	CML
Hexafluoropropylene oxide dimer acid (HFPO-DA)	ND	2.0	1.5	ng/L	1		EPA 537.1	10/21/24	10/22/24 19:46	CML
11Cl-PF3OUdS (F53B Major)	ND	2.0	0.78	ng/L	1		EPA 537.1	10/21/24	10/22/24 19:46	CML
9Cl-PF3ONS (F53B Minor)	ND	2.0	0.87	ng/L	1.		EPA 537.1	10/21/24	10/22/24 19:46	CML
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	2.0	1.0	ng/L	1		EPA 537.1	10/21/24	10/22/24 19:46	CML
Surrogates		% F	tecovery	Recovery Limits		Flag/Qual				
13C-PFHxA		102	2	70-130					10/22/24 19:46	
M3HFPO-DA		108	3	70-130					10/22/24 19:46	
13C-PFDA		102	2	70-130					10/22/24 19:46	
D5-NEtFOSAA		102	2	70-130					10/22/24 19:46	



Sample Extraction Data

Prep Method: EPA 537.1-EPA 537.1

Lab Number [Field ID]	Batch	Initial [mL]	Final [mL]	Date
24J2384-01 [470195]	B389887	270	1.00	10/21/24
24J2384-02 [470195 FB]	B389887	251	1.00	10/21/24

Notes

%REC

Limits

50-150

50-150

50-150

50-150

50-150

50-150

50-150

50-150

50-150

50-150

50-150

70-130

70-130

70-130

70-130

90.2

76.2

78.2

79.2

79.3

77.0

75.3

88.8

78.9

84.4

84.0

101

105

105

104

RPD

Limit

RPD



Analyte

Perfluorodecanoic acid (PFDA)

Perfluoroundecanoic acid (PFUnA)

Perfluorododecanoic acid (PFDoA)

Perfluorotridecanoic acid (PFTrDA)

Perfluorotetradecanoic acid (PFTA)

Hexafluoropropylene oxide dimer acid

4,8-Dioxa-3H-perfluorononanoic acid

N-EtFOSAA (NEtFOSAA)

N-MeFOSAA (NMeFOSAA)

11Cl-PF3OUdS (F53B Major)

9Cl-PF3ONS (F53B Minor)

Surrogate: 13C-PFHxA

Surrogate: M3HFPO-DA

Surrogate: D5-NEtFOSAA

Surrogate: 13C-PFDA

(HFPO-DA)

(ADONA)

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332 QUALITY CONTROL

Spike

Level

Source

Result

%REC

Semivolatile Organic Compounds by - LC/MS-MS - Quality Control

DL Units

Reporting

Limit

Result

Blank (B389887-BLK1)					Prepared: 10/21/24	4 Analyze	d: 10/22	24	
Perfluorobutanesulfonic acid (PFBS)	ND	1.8	0.74	ng/L	•				
Perfluorohexanoic acid (PFHxA)	ND	1.8	0.98	ng/L					
Perfluorohexanesulfonic acid (PFHxS)	ND	1.8	0.89	ng/L					
Perfluoroheptanoic acid (PFHpA)	ND	1.8	0.92	ng/L					
Perfluorooctanoic acid (PFOA)	ND	1.8	1.1	ng/L					
Perfluorooctanesulfonic acid (PFOS)	ND	1.8	0.83	ng/L					
Perfluorononanoic acid (PFNA)	ND	1.8	0.92	ng/L					
Perfluorodecanoic acid (PFDA)	ND	1.8	0.90	ng/L					
N-EtFOSAA (NEtFOSAA)	ND	1.8	0.84	ng/L					
Perfluoroundecanoic acid (PFUnA)	ND	1.8	0.89	ng/L					
N-MeFOSAA (NMeFOSAA)	ND	1.8	0.81	ng/L					
Perfluorododecanoic acid (PFDoA)	ND	1.8	0.85	ng/L					
Perfluorotridecanoic acid (PFTrDA)	ND	1.8	0.83	ng/L					
Perfluorotetradecanoic acid (PFTA)	ND	1.8	0.83	ng/L					
Hexafluoropropylene oxide dimer acid (HFPO-DA)	ND	1.8	1.3	ng/L					
11Cl-PF3OUdS (F53B Major)	ND	1.8	0.71	ng/L					
9Cl-PF3ONS (F53B Minor)	ND	1.8	0.79	ng/L					
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	1.8	0.93	ng/L					
Surrogate: 13C-PFHxA	36.4			ng/L	36.33		100	70-130	
Surrogate: M3HFPO-DA	37.3			ng/L	36.33		103	70-130	
Surrogate: 13C-PFDA	36.7			ng/L	36.33		101	70-130	
Surrogate: D5-NEtFOSAA	147			ng/L	145.3		101	70-130	
LCS (B389887-BS1)					Prepared: 10/21/24	4 Analyze	d: 10/22	24	
Perfluorobutanesulfonic acid (PFBS)	1.30	1.9	0.76	ng/L	1.653		78.9	50-150	J
Perfluorohexanoic acid (PFHxA)	1.52	1.9	1.0	ng/L	1.863		81.6	50-150	J
Perfluorohexanesulfonic acid (PFHxS)	1.43	1.9	0.92	ng/L	1.703		83.8	50-150	J
Perfluoroheptanoic acid (PFHpA)	1.48	1.9	0.94	ng/L	1.863		79.5	50-150	J
Perfluorooctanoic acid (PFOA)	1.55	1.9	1.1	ng/L	1.863		83.2	50-150	J
Perfluorooctanesulfonic acid (PFOS)	1.54	1.9	0.85	ng/L	1.729		89.1	50-150	J
Perfluorononanoic acid (PFNA)	1.74	1.9	0.94	ng/L	1.863		93.4	50-150	J
									_

ng/L

1.863

1.863

1.863

1.863

1.863

1.863

1.863

1.863

1.757

1.738

1.761

37.26

37.26

37.26

149.1

1.9 0.92

1.9 0.86

1.9 0.91

1.9 0.83

1.9 0.87

1.9 0.86

1.9 0.85

1.9 1.4

1.9 0.73

1.9 0.81

1.9 0.96

1.68

1.42

1.46

1.48

1.48

1.43

1.40

1.65

1.39

1.47

1.48

37.5

39.1

39.1

155

J

J

J

J



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332 QUALITY CONTROL

Semivolatile Organic Compounds by - LC/MS-MS - Quality Control

		Reporting			Spike	Source		%REC		RPD	
Analyte	Result	Limit	DL	Units	Level	Result	%REC	Limits	RPD	Limit	Notes

Batch 1	B389887	-	EPA	537.1	
---------	---------	---	------------	-------	--

LCS Dup (B389887-BSD1)					Prepared: 10/21/2	24 Analyzed: 10/22/	24			
Perfluorobutanesulfonic acid (PFBS)	1.27	1.9	0.76	ng/L	1.651	77.0	50-150	2.56	50	J
Perfluorohexanoic acid (PFHxA)	1.51	1.9	1.0	ng/L	1.861	80.9	50-150	0.915	50	J
Perfluorohexanesulfonic acid (PFHxS)	1.45	1.9	0.92	ng/L	1.701	85.0	50-150	1.25	50	J
Perfluoroheptanoic acid (PFHpA)	1.40	1.9	0.94	ng/L	1.861	75.1	50-150	5.87	50	J
Perfluorooctanoic acid (PFOA)	1.39	1.9	1.1	ng/L	1.861	74.8	50-150	10.7	50	J
Perfluorooctanesulfonic acid (PFOS)	1.44	1.9	0.85	ng/L	1.727	83.4	50-150	6.79	50	J
Perfluorononanoic acid (PFNA)	1.36	1.9	0.94	ng/L	1.861	73.2	50-150	24.4	50	J
Perfluorodecanoic acid (PFDA)	1.64	1.9	0.92	ng/L	1.861	88.1	50-150	2.49	50	J
N-EtFOSAA (NEtFOSAA)	1.38	1.9	0.86	ng/L	1.861	74.1	50-150	2.90	50	J
Perfluoroundecanoic acid (PFUnA)	1.30	1.9	0.91	ng/L	1.861	70.0	50-150	11.1	50	J
N-MeFOSAA (NMeFOSAA)	1.52	1.9	0.83	ng/L	1.861	81.7	50-150	3.07	50	J
Perfluorododecanoic acid (PFDoA)	1.50	1.9	0.87	ng/L	1.861	80.8	50-150	1.84	50	J
Perfluorotridecanoic acid (PFTrDA)	1.51	1.9	0.85	ng/L	1.861	81.2	50-150	5.17	50	J
Perfluorotetradecanoic acid (PFTA)	1.42	1.9	0.85	ng/L	1.861	76.5	50-150	1.52	50	J
Hexafluoropropylene oxide dimer acid (HFPO-DA)	1.54	1.9	1.4	ng/L	1.861	82.6	50-150	7.32	50	J
11Cl-PF3OUdS (F53B Major)	1.23	1.9	0.73	ng/L	1.755	70.0	50-150	12.1	50	J
9Cl-PF3ONS (F53B Minor)	1.39	1.9	0.81	ng/L	1.737	80.2	50-150	5.20	50	J
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	1.39	1.9	0.96	ng/L	1.759	78.8	50-150	6.51	50	J
Surrogate: 13C-PFHxA	38.0			ng/L	37.22	102	70-130			
Surrogate: M3HFPO-DA	39.5			ng/L	37.22	106	70-130			
Surrogate: 13C-PFDA	38.5			ng/L	37.22	104	70-130			
Surrogate: D5-NEtFOSAA	155			ng/L	148.9	104	70-130			



FLAG/QUALIFIER SUMMARY

*	QC result is outside of established limits.
†	Wide recovery limits established for difficult compound.
‡	Wide RPD limits established for difficult compound.
#	Data exceeded client recommended or regulatory level
ND	Not Detected
RL	Reporting Limit
DL	Method Detection Limit
MCL	Maximum Contaminant Level
	Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
	No results have been blank subtracted unless specified in the case narrative section.
J	Detected but below the Reporting Limit (lowest calibration standard); therefore, result is an estimated concentration (CLP J-Flag).



CERTIFICATIONS

Certified Analyses included in this Report

Analyte Certifications

EPA 537.	l in	Drinking	Water
----------	------	----------	-------

Perfluorobutanesulfonic acid (PFBS)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH,VA
Perfluorohexanoic acid (PFHxA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Perfluorohexanesulfonic acid (PFHxS)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH,VA
Perfluoroheptanoic acid (PFHpA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Perfluorooctanoic acid (PFOA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH,VA
Perfluorooctanesulfonic acid (PFOS)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH,VA
Perfluorononanoic acid (PFNA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH,VA
Perfluorodecanoic acid (PFDA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
N-EtFOSAA (NEtFOSAA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Perfluoroundecanoic acid (PFUnA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
N-MeFOSAA (NMeFOSAA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Perfluorododecanoic acid (PFDoA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Perfluorotridecanoic acid (PFTrDA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Perfluorotetradecanoic acid (PFTA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Hexafluoropropylene oxide dimer acid (HFPO-DA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH,VA
11Cl-PF3OUdS (F53B Major)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
9Cl-PF3ONS (F53B Minor)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH

 $Con-Test, a\ Pace\ Environmental\ Laboratory, operates\ under\ the\ following\ certifications\ and\ accreditations:$

Code	Description	Number	Expires
MA	Massachusetts DEP	M-MA100	06/30/2025
CT	Connecticut Department of Public Health	PH-0821	12/31/2024
NY	New York State Department of Health	10899 NELAP	04/1/2025
NH	New Hampshire Environmental Lab	2516 NELAP	02/5/2025
NJ	New Jersey DEP	MA007 NELAP	06/30/2025
VT-DW	Vermont Department of Health Drinking Water	VT-255716	06/12/2025
ME	State of Maine	MA00100	06/9/2025
VA	Commonwealth of Virginia	460217	12/14/2024
PA	Commonwealth of Pennsylvania DEP	68-05812	06/30/2025
MI	Dept. of Env, Great Lakes, and Energy	9100	06/30/2025
ОН	Ohio Environmental Protection Agency	87781	04/1/2025

Quality Water Analysis

1-800-458-3330

Beverage - Finished Product

Order Number: Order Date: 2250141 9/17/2024

Sample Number:

470195

Product:

PFAS 18

Paid: No

Method: Purchase Order

)

P.O.: Winston-Salem,

NC

For Laboratory Use ONLY

TSR: SBW

	Lab Accounting Information:
NO 27404 6427	Payment \$:
Winston-Salem NC 27101-6127	Check #:
	Lab Comments/Special Instructions:
If finished product is submitted in laboratory containers, complete the following information. Date Opened:	Spring Product
Check Time Zone: EST CST MST PS1	
Phone Number:	
Fax Number:	Lab Sample Information: RECEIVED OCT 0.9 2024 Date Received:
PWS ID# (if applicable):	Time Received: : 0944
Source Type: Spring X Well Municipal Other:	Received By:AB
Source Name: Mountain Park Springs (Source Information is REQUIRED for All Finished Products)	Date Opened: 0C/ 1 4 2024 Time Opened: 12: 4/
City & State: Dobson, NC	Opened By: 1. Workgoney
Product Collected By: (Signature) Stewart Douglas	Sample receipt criteria checked acceptable. Deviations from acceptable sample receipt criteria noted on PSA form.
Product Collected By: Sewart Douglas (Please Print)	
Brand Name/Product Type: Mountain Park Spring Water e.g. XYZ Spring Water or XYZ Distilled Water	
Container Size: 18.9 L / 5 Gallons	IF PENNSYLVANIA REPORTING IS REQUIRED AND YOUR PRODUCT IS GREATER THAN 1.77 LITERS, PLEASE PROVIDE
Production Code/Lot Number: 28024	THE FOLLOWING: Penn. PWS ID#:
Form Completed By: Stewart Douglas	Location:
Additional Comments:	Access to the American State of the Control of the

Rev: SRT102120

INCOMPLETE INFORMATION MAY DELAY ANALYSIS AND/OR INVALIDATE RESULTS

Pace	DC#_Title: ENV-FRM-ELON-0001 v08_Sample Receiving Checklist
ANALYTICAL SERVICES	Effective Date: 06/11/2024

Login Sample Receipt Checklist - (Rejection Criteria Listing

*Note: West Virginia requires all samples to have their

temperature taken. Note any outliers.

Log In Back-Sheet	Login Sample Receipt Checklist – (Rejection Criteria Listing — Using Acceptance Policy) Any False statement will be brought to the attention of the Client – True or False									
Client National Testing		True	False							
Project			П							
MCP/RCP Required ///	Received on Ice		岩 .							
Deliverable Package Requirement	Received in Cooler									
Location NC	Custody Seal: DATE TIME		<u> </u>							
PWSID# (When Applicable)	COC Relinquished		Щ							
Arrival Method:	COC/Samples Labels Agree		ᆜ							
Courier Fed Ex Walk In Other VI	All Samples in Good Condition									
Received By / Date / Time 92 10/16/14 1007	Samples Received within Holding Time	Z /								
Back-Sheet By / Date / Time	Is there enough Volume									
Temperature Method 400 # 6	Proper Media/Container Used	Ø								
WV samples: Yes (see note*) (No (follow normal procedure)	Splitting Samples Required		0							
Temp < 6° C Actual Temperature d.U	MS/MSD		0							
Rush Samples: Yes / No Notify										
Short Hold: Yes / No Notify	Trip Blanks Lab to Filters									
Notes regarding Samples/COC outside of SOP:		M								
Notes regulating sumpless coe outside of sor.	COC Legible COC Included; (Check all included)									
		npler Name	A.							
		·	7							
	Project IDs IDs Col	lection Date/Time	e L							
	All Samples Proper pH: N/A	0								
	Additional Container Notes									

Qualtrax ID: 120836

Pace

DC#_Title: ENV-FRM-ELON-0001 v08_Sample Receiving Checklist

Effective Date: 06/11/2024

2	19	18	17	16	15	14	13	12	H	10	9	00	7	9	5	4	ယ	2		Sample			
																				16oz Amb/Clear	ear 🔐		
1			1																	8oz Amb/Clear	cle Aı	Soil	
							Ī													4oz Amb/Clear	(Circle Amb/Clear)	Soils Jars	
					T															2oz Amb/Clear	lear)	Ο ,	
						1														Unpreserved			
																				HCL	1 Liter		
																				Sulfuric	1 =		
																				Sulfuric	2	Ambers	
			1			1	1													Phosphoric	250mL	ers	
			1	1	Ì			1	1	1				-				S-ACCOMMON ACT		HCI	1		
																				Unpreserved	100mL		
																				Unpreserved	1 Liter		
																				Sulfuric			
																				Unpreserved			
																				Sulfuric	500mL		
																				Unpreserved		2	
																		_	1	Trizma		Plastics	
																				Sulfuric	2	18	
		and the same of th																		Nitric	250mL		
																				NaOH Ammonium Acetate NaOH/Zinc			
				1																Unpreserved			
																				HCI		5	
																				MeOH		VOA Vials	
Г	T																			D.I. Water	iais		
																				BiSulfate			
	T							í												Col/Bact			
	1	1		1	1	1		1		1	-	-	-		1	1	1	1	-			0 1 2 3	
-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	-	-	er/Fi	
-	+	+	+	+	+	+	+		+	+	+				\dagger	\dagger	+		+		Other/Fill in		
	1	1		1	1			\top			1	1	1 "	T									

Qualtrax ID: 120836