



Corporate Headquarters  
6571 Wilson Mills Road  
Cleveland, Ohio 44143

Phone: 800-458-3330

This report package contains 21 pages.

This package contains reports from the following laboratories:

- National Testing Laboratories, Ltd. (6 pages)
- Pace Analytical Services, Inc.- Minneapolis, MN (6 pages)
- Eurofins Eaton Analytical, Inc. (8 pages)

NELAP accredited #E87753



**National Testing Laboratories, Ltd**  
 556 South Mansfield, Ypsilanti, MI, 48197-5166  
 (440) 449-2525, Fax: (440) 449-8585

**ANALYTICAL REPORTS**

**SAMPLE CODE: 487200**

**12/1/2025**

**Customer:** Mountain Park Springs  
 Stewart Douglas  
 2835 Lowery St  
 Winston-Salem, NC 27101-6127

**Source:** Mountain Park Springs  
**Source City:** Dobson  
**Source State:** NC  
**Sample Temperature:** 56°F  
**Field pH:** 7.2

**Date/Time Received:** 10/28/2025 09:33

**Collected by:** S. Douglas

The results herein conform to TNI and ISO/IEC 17025:2017 standards, where applicable. These results may be used for compliance purposes, as required, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

**Legend:**

Any 'Level Detected' marked with an asterisk (\*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

**"ND"** This contaminant was not detected at or above our lower reporting limit (LRL)

**"NA"** Not Analyzed

**"Standard"** This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA Secondary Standards.

**"LRL"** This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant.

**"DF"** This column indicates the contaminant dilution factor.

**Report Notes:**

pH analysis has a 15 minute hold time from sampling to analysis. Analysis of pH past the 15 minute hold time should be considered an estimate.

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
<b>Inorganic Analytes - Metals</b>										
1002	Aluminum	200.7	0.2	mg/L	0.05	ND	1	10/27/2025 13:24		11/11/2025
1074	Antimony	200.8	0.006	mg/L	0.003	ND	1	10/27/2025 13:24		11/3/2025
1005	Arsenic	200.8	0.010	mg/L	0.002	ND	1	10/27/2025 13:24		11/3/2025
1010	Barium	200.7	2	mg/L	0.10	ND	1	10/27/2025 13:24		11/11/2025
1075	Beryllium	200.7	0.004	mg/L	0.001	ND	1	10/27/2025 13:24		11/11/2025
1079	Boron	200.7	--	mg/L	0.10	ND	1	10/27/2025 13:24		11/11/2025
1015	Cadmium	200.7	0.005	mg/L	0.001	ND	1	10/27/2025 13:24		11/11/2025
1016	Calcium	200.7	--	mg/L	2.0	9.8	1	10/27/2025 13:24		11/11/2025
1020	Chromium	200.7	0.100	mg/L	0.007	ND	1	10/27/2025 13:24		11/11/2025
1022	Copper	200.7	1.0	mg/L	0.002	ND	1	10/27/2025 13:24		11/11/2025
1028	Iron	200.7	0.3	mg/L	0.020	ND	1	10/27/2025 13:24		11/11/2025
1030	Lead	200.8	0.010	mg/L	0.001	ND	1	10/27/2025 13:24		11/3/2025
1031	Magnesium	200.7	--	mg/L	0.10	6.30	1	10/27/2025 13:24		11/11/2025
1032	Manganese	200.7	0.05	mg/L	0.004	ND	1	10/27/2025 13:24		11/11/2025
1035	Mercury	200.8	0.002	mg/L	0.0002	ND	1	10/27/2025 13:24		11/3/2025
1036	Nickel	200.7	--	mg/L	0.005	ND	1	10/27/2025 13:24		11/11/2025
1042	Potassium	200.7	--	mg/L	1.0	ND	1	10/27/2025 13:24		11/11/2025
1045	Selenium	200.8	0.05	mg/L	0.002	ND	1	10/27/2025 13:24		11/3/2025
1049	Silica	200.7	--	mg/L	0.05	22.00	1	10/27/2025 13:24		11/11/2025
1050	Silver	200.7	0.10	mg/L	0.002	ND	1	10/27/2025 13:24		11/11/2025

*This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.*

# National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166  
(440) 449-2525, Fax: (440) 449-8585

## ANALYTICAL REPORTS

**SAMPLE CODE: 487200**

**12/1/2025**

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
1052	Sodium	200.7	--	mg/L	1	3	1	10/27/2025 13:24		11/11/2025
1085	Thallium	200.8	0.002	mg/L	0.001	ND	1	10/27/2025 13:24		11/3/2025
4006	Uranium	200.8	0.030	mg/L	0.001	ND	1	10/27/2025 13:24		11/3/2025
1095	Zinc	200.7	5.000	mg/L	0.004	0.073	1	10/27/2025 13:24		11/11/2025
<b>Physical Factors</b>										
1927	Alkalinity (Total as CaCO <sub>3</sub> )	2320B	--	mg/L	20	48	1	10/27/2025 13:24		11/7/2025
1905	Apparent Color	2120B	15	CU	3	ND	1	10/27/2025 13:24		10/28/2025 14:30
1910	Corrosivity	2330B	--	SI		-1.69	R2	1	10/27/2025 13:24	11/11/2025
2905	Foaming Agents	5540C	0.5	mg/L	0.1	ND	1	10/27/2025 13:24		10/28/2025 14:05
MBAS, calculated as Linear Alkylate Sulfonate (LAS), mol wt of 342.4 g/mole										
1915	Hardness	2340B	--	mg/L	5.0	50	1	10/27/2025 13:24		11/11/2025
1920	Odor Temperature	2150B	--	Deg, C		13	1	10/27/2025 13:24		10/28/2025 11:50
1920	Odor Threshold	2150B	3	ton	1	ND	1	10/27/2025 13:24		10/28/2025 11:50
1925	pH	150.1	6.5-8.5	pH Units		7.0	1	10/27/2025 13:24		10/28/2025 13:50
4254	pH Temperature	150.1	--	Deg, C		27	1	10/27/2025 13:24		10/28/2025 13:50
1930	Total Dissolved Solids	2540C	500	mg/L	5	69	1	10/27/2025 13:24		11/1/2025
0100	Turbidity	2130B	1	NTU	0.1	ND	1	10/27/2025 13:24		10/28/2025 14:10
<b>Inorganic Analytes - Other</b>										
1004	Bromide	300.1	--	mg/L	0.005	ND	1	10/27/2025 13:24		10/29/2025
1017	Chloride	300.0	250	mg/L	1.0	ND	1	10/27/2025 13:24		10/28/2025 15:04
1025	Fluoride	300.0	4.0	mg/L	0.10	ND	1	10/27/2025 13:24		10/28/2025 15:04
1040	Nitrate as N	300.0	10	mg/L	0.05	0.52	1	10/27/2025 13:24		10/28/2025 15:04
1041	Nitrite as N	300.0	1	mg/L	0.05	ND	1	10/27/2025 13:24		10/28/2025 15:04
1044	Ortho Phosphate	300.0	--	mg/L	2.0	ND	1	10/27/2025 13:24		10/28/2025 15:04
1055	Sulfate	300.0	250	mg/L	5.0	ND	1	10/27/2025 13:24		10/28/2025 15:04
<b>Organic Analytes - Trihalomethanes</b>										
2943	Bromodichloromethane	524.2 THMs	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2942	Bromoform	524.2 THMs	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2941	Chloroform	524.2 THMs	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2944	Dibromochloromethane	524.2 THMs	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2950	Total THMs	524.2 THMs	0.080	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
<b>Organic Analytes - Volatiles</b>										
2986	1,1,1,2-Tetrachloroethane	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2981	1,1,1-Trichloroethane	524.2	0.2	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2988	1,1,2,2-Tetrachloroethane	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2985	1,1,2-Trichloroethane	524.2	0.005	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2978	1,1-Dichloroethane	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2977	1,1-Dichloroethene	524.2	0.007	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

# National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166  
(440) 449-2525, Fax: (440) 449-8585

## ANALYTICAL REPORTS

SAMPLE CODE: 487200

12/1/2025

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
2410	1,1-Dichloropropene	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2420	1,2,3-Trichlorobenzene	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2414	1,2,3-Trichloropropane	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2378	1,2,4-Trichlorobenzene	524.2	0.07	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2418	1,2,4-Trimethylbenzene	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2968	1,2-Dichlorobenzene	524.2	0.6	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2980	1,2-Dichloroethane	524.2	0.005	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2983	1,2-Dichloropropane	524.2	0.005	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2424	1,3,5-Trimethylbenzene	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2967	1,3-Dichlorobenzene	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2412	1,3-Dichloropropane	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2969	1,4-Dichlorobenzene	524.2	0.075	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2416	2,2-Dichloropropane	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2965	2-Chlorotoluene	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2966	4-Chlorotoluene	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2030	4-Isopropyltoluene	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2990	Benzene	524.2	0.005	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2993	Bromobenzene	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2430	Bromochloromethane	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2214	Bromomethane	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2982	Carbon Tetrachloride	524.2	0.005	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2989	Chlorobenzene	524.2	0.1	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2216	Chloroethane	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2210	Chloromethane	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2380	cis-1,2-Dichloroethene	524.2	0.07	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2228	cis-1,3-Dichloropropene	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2408	Dibromomethane	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2212	Dichlorodifluoromethane	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2964	Dichloromethane	524.2	0.005	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2992	Ethylbenzene	524.2	0.7	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2246	Hexachlorobutadiene	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2994	Isopropylbenzene	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2251	Methyl Tert Butyl Ether	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2247	Methyl-Ethyl Ketone	524.2	--	mg/L	0.005	ND	R2 1	10/27/2025 13:24		11/4/2025
2248	Naphthalene	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2422	n-Butylbenzene	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2997	o-Xylene	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2963	p and m-Xylenes	524.2	--	mg/L	0.0010	ND	1	10/27/2025 13:24		11/4/2025
Due to the limitation of EPA Method 524.2, p and m isomers of Xylene are reported as aggregate.										
2998	Propylbenzene	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2428	sec-Butylbenzene	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

# National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166  
(440) 449-2525, Fax: (440) 449-8585

## ANALYTICAL REPORTS

SAMPLE CODE: 487200

12/1/2025

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
2996	Styrene	524.2	0.1	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2426	tert-Butylbenzene	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2987	Tetrachloroethene	524.2	0.005	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2991	Toluene	524.2	1	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2979	trans-1,2-Dichloroethene	524.2	0.1	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2224	trans-1,3-Dichloropropene	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2984	Trichloroethene	524.2	0.005	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2218	Trichlorofluoromethane	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2904	Trichlorotrifluoroethane	524.2	--	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2976	Vinyl Chloride	524.2	0.002	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
2955	Xylenes (Total)	524.2	10	mg/L	0.0005	ND	1	10/27/2025 13:24		11/4/2025
<b>Organic Analytes - Others</b>										
2414	1,2,3-Trichloropropane	504.1	0.00003	mg/L	0.00001	ND	1	10/27/2025 13:24	10/30/2025	10/30/2025
2931	1,2-Dibromo-3-chloropropane	504.1	0.0002	mg/L	0.00001	ND	1	10/27/2025 13:24	10/30/2025	10/30/2025
2946	1,2-Dibromoethane	504.1	0.00005	mg/L	0.00001	ND	1	10/27/2025 13:24	10/30/2025	10/30/2025
2105	2,4-D	515.4	70	ug/L	0.1	ND	1	10/27/2025 13:24	11/3/2025	11/4/2025
2066	3-Hydroxycarbofuran	531.2	--	ug/L	1.0	ND	1	10/27/2025 13:24		10/29/2025
2047	Aldicarb	531.2	7	ug/L	1.0	ND	1	10/27/2025 13:24		10/29/2025
2044	Aldicarb sulfone	531.2	7	ug/L	1.0	ND	1	10/27/2025 13:24		10/29/2025
2043	Aldicarb sulfoxide	531.2	7	ug/L	1.0	ND	1	10/27/2025 13:24		10/29/2025
2356	Aldrin	505	--	mg/L	0.00007	ND	1	10/27/2025 13:24	10/30/2025	10/30/2025
2625	Bentazon	515.4	--	ug/L	1	ND	1	10/27/2025 13:24	11/3/2025	11/4/2025
2021	Carbaryl	531.2	--	ug/L	1.0	ND	1	10/27/2025 13:24		10/29/2025
2046	Carbofuran	531.2	40	ug/L	1.0	ND	1	10/27/2025 13:24		10/29/2025
2959	Chlordane	505	0.002	mg/L	0.0001	ND	1	10/27/2025 13:24	10/30/2025	10/30/2025
2031	Dalapon	515.4	200	ug/L	1	ND	1	10/27/2025 13:24	11/3/2025	11/4/2025
2440	Dicamba	515.4	--	ug/L	1	ND	1	10/27/2025 13:24	11/3/2025	11/4/2025
2933	Dichloran	505	--	mg/L	0.001	ND	1	10/27/2025 13:24	10/30/2025	10/30/2025
2070	Dieldrin	505	--	mg/L	0.00002	ND	1	10/27/2025 13:24	10/30/2025	10/30/2025
2041	Dinoseb	515.4	7	ug/L	0.2	ND	1	10/27/2025 13:24	11/3/2025	11/4/2025
2032	Diquat	549.2	20	ug/L	0.4	ND	1	10/27/2025 13:24	10/31/2025	10/31/2025
2033	Endothall	548.1	100	ug/L	9	ND	1	10/27/2025 13:24	11/3/2025	11/6/2025
2005	Endrin	505	0.002	mg/L	0.00001	ND	1	10/27/2025 13:24	10/30/2025	10/30/2025
2034	Glyphosate	547	700	ug/L	6	ND	1	10/27/2025 13:24		11/3/2025
2065	Heptachlor	505	0.0004	mg/L	0.00001	ND	1	10/27/2025 13:24	10/30/2025	10/30/2025
2067	Heptachlor Epoxide	505	0.0002	mg/L	0.00001	ND	1	10/27/2025 13:24	10/30/2025	10/30/2025
2274	Hexachlorobenzene	505	0.001	mg/L	0.0001	ND	1	10/27/2025 13:24	10/30/2025	10/30/2025
2042	Hexachlorocyclopentadiene	505	0.05	mg/L	0.0001	ND	1	10/27/2025 13:24	10/30/2025	10/30/2025
2010	Lindane	505	0.0002	mg/L	0.00002	ND	1	10/27/2025 13:24	10/30/2025	10/30/2025
2022	Methomyl	531.2	--	ug/L	1.0	ND	1	10/27/2025 13:24		10/29/2025

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

# National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166  
(440) 449-2525, Fax: (440) 449-8585

## ANALYTICAL REPORTS

SAMPLE CODE: 487200

12/1/2025

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
2015	Methoxychlor	505	0.04	mg/L	0.0001	ND	1	10/27/2025 13:24	10/30/2025	10/30/2025
2036	Oxamyl	531.2	200	ug/L	1.0	ND	1	10/27/2025 13:24		10/29/2025
2934	Pentachloronitrobenzene	505	--	mg/L	0.0001	ND	1	10/27/2025 13:24	10/30/2025	10/30/2025
2326	Pentachlorophenol	515.4	1	ug/L	0.04	ND	1	10/27/2025 13:24	11/3/2025	11/4/2025
2040	Picloram	515.4	500	ug/L	0.1	ND	1	10/27/2025 13:24	11/3/2025	11/4/2025
2110	Silvex 2,4,5-TP	515.4	50	ug/L	0.2	ND	1	10/27/2025 13:24	11/3/2025	11/4/2025
2383	Total PCBs	505	0.0005	mg/L	0.0005	ND	1	10/27/2025 13:24	10/30/2025	10/30/2025
2910	Total Phenols	420.4	--	mg/L	0.001	ND	R4 1	10/27/2025 13:24		10/29/2025
2020	Toxaphene	505	0.003	mg/L	0.001	ND	1	10/27/2025 13:24	10/30/2025	10/30/2025
2055	Trifluralin	505	--	mg/L	0.001	ND	1	10/27/2025 13:24	10/30/2025	10/30/2025

Qualifiers:

R2: The Laboratory is not licensed for this parameter. The reported result cannot be used for compliance purposes.  
R4: The Laboratory is certified for Phenols by ISO/IEC 17025:2017 and all states that offer it for drinking water.



Christine MacMillan, Technical Director

Analyst	Tests
ZSC	200.7,2330B,2340B
DMJ	200.8
SP	2320B,2120B,5540C,2150B,150.1,2130B
CF	2540C
SG	300.1,300.0
SB	524.2 THMs,524.2,531.2,547
BNF	504.1,515.4,505
JF	549.2
JLF	548.1
DHG	420.4

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

**ANALYTICAL REPORTS**

**SAMPLE CODE: 487199**

**12/1/2025**

**Customer:** Mountain Park Springs  
 Stewart Douglas  
 2835 Lowery St  
 Winston-Salem, NC 27101-6127

**Source:** Mountain Park Springs  
**Source City:** Dobson  
**Source State:** NC  
**Sample Temperature:** 56°F  
**Field pH:** 7.2

**Date/Time Received:** 10/28/2025 09:33

**Collected by:** S. Douglas

The results herein conform to TNI and ISO/IEC 17025:2017 standards, where applicable. These results may be used for compliance purposes, as required, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

**Legend:**

Any 'Level Detected' marked with an asterisk (\*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

**"ND"** This contaminant was not detected at or above our lower reporting limit (LRL)

**"NA"** Not Analyzed

**"Standard"** This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA Secondary Standards.

**"LRL"** This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant.

**"DF"** This column indicates the contaminant dilution factor.

**Report Notes:**

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
<b>Microbiologicals</b>										
3114	E. Coli	9223B	1	MPN/100 mL	1	ND	1	10/27/2025 13:24		10/28/2025 12:40
3001	Standard Plate Count	9215B	500	CFU/ml	1	11	A6	10/27/2025 13:24		10/28/2025 12:30
Pour Plate Method, 35°C/48hr, Plate Count Agar										
3000	Total Coliform	9223B	1	MPN/100 mL	1	ND	1	10/27/2025 13:24		10/28/2025 12:40

**Qualifiers:**

A6: The colony count for SPC bacteria is outside the method specifications and the result should be considered as estimated CFU per milliliter.



Analyst	Tests
GK	9223B
CF	9215B

Christine MacMillan, Technical Director

*This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.*



Pace Analytical Services, LLC  
1700 Elm Street  
Minneapolis, MN 55414  
Phone: 612.607.1700  
Fax: 612.607.6444  
www.pacelabs.com

**Report Prepared For:**

National Laboratories  
National Testing Laboratories  
6571 Wilson Mills Road  
Suite 102  
Cleveland OH 44143

**REPORT OF  
LABORATORY  
ANALYSIS FOR  
2,3,7,8-TCDD**

**Report Summary:**

This report contains results of one drinking water sample analyzed to determine 2,3,7,8-TCDD content. This sample was analyzed according to Method 1613 by High Resolution Gas Chromatography/High Resolution Mass Spectrometry.

**Pace Project No.:**  
10755156

**Report Prepared Date:**  
November 10, 2025

**Product Source**

Sample ID: 487200  
Source Name: Mountain Park Springs  
Source Location: Dobson NC  
PWS ID: N/A  
Laboratory Sample ID: 10755156001  
Date Sampled: 10/27/2025 @ 13:24  
Date Received: 10/30/2025 @ 15:45

**This report has been reviewed by:**

November 10, 2025

Joanne Richardson, Project Manager  
(612) 607-6453  
(612) 607-6444 (fax)



**Report of Laboratory Analysis**

This report should not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

The results relate only to the samples included in this report.



**Pace Analytical Services, LLC**  
1700 Elm Street SE  
Minneapolis, MN 55414  
Phone: 612.607.1700  
Fax: 612.607.6444  
www.pacelabs.com

## Minnesota Laboratory Certifications

Authority	Certificate #	Authority	Certificate #
A2LA	2926.01	Missouri	10100
Alabama	40770	Montana	CERT0092
Alaska-DW	MN00064	Nebraska	NE-OS-18-06
Alaska-UST	17-009	Nevada	MN00064
Arizona	AZ0014	New Hampshire	2081
Arkansas - WW	88-0680	New Jersey	MN002
Arkansas-DW	MN00064	New York	11647
California	2929	North Carolina-DW	27700
Colorado	MN00064	North Carolina-WW	530
Connecticut	PH-0256	North Dakota	R-036
Florida	E87605	Ohio-DW	41244
Georgia	959	Ohio-VAP (1700)	CL101
Idaho	MN00064	Ohio-VAP (1800)	CL110
Illinois	200011	Oklahoma	9507
Indiana	C-MN-01	Oregon-Primary	MN300001
Iowa	368	Oregon-Secondary	MN200001
Kansas	E-10167	Pennsylvania	68-00563
Kentucky-DW	90062	Puerto Rico	MN00064
Kentucky-WW	90062	South Carolina	74003
Louisiana-DEQ	AI-84596	Tennessee	TN02818
Louisiana-DW	MN00064	Texas	T104704192
Maine	MN00064	Utah	MN00064
Maryland	322	Vermont	VT-027053137
Michigan	9909	Virginia	460163
Minnesota	027-053-137	Washington	C486
Minnesota-Ag	via MN 027-053-137	West Virginia-DEP	382
Minnesota-Petrofund	1240	West Virginia-DW	9952C
Mississippi	MN00064	Wisconsin	999407970
		Wyoming-UST	via A2LA 2926.01

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.




**Pace Analytical Services, LLC**  
1700 Elm Street, Suite 200  
Minneapolis, MN 55414  
Phone: 612.607.1700  
Fax: 612.607.6444  
www.pacelabs.com

## Reporting Flags

- A = Reporting Limit based on signal to noise (EDL)
- B = Less than 10x higher than method blank level
- C = Result obtained from confirmation analysis
- D = Result obtained from analysis of diluted sample
- E = Exceeds calibration range
- H2 = Extracted outside of holding time
- I = Isotope ratio out of specification
- J = Estimated value
- L = Suppressive interference, analyte may be biased low
- Nn = Value obtained from additional analysis
- P = PCDE Interference
- R = Recovery outside target range
- S = Peak saturated
- U = Analyte not detected
- V = Result verified by confirmation analysis
- X = %D Exceeds limits
- Y = Calculated using average of daily RFs

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



1-800-458-3330

# Beverage - Source Water

Order Number: 2272989  
 Order Date: 10/15/2025 487200  
 Sample Number:  
 Product: FDATABASE G  
 Paid: No Method: Purchase P.O.: Winston-Salem, NC  
 Order  
 TSR: BJS

Winston-Salem NC 27101-6127

Date Sampled: 10/27/25  
 Time Sampled: 13:24  AM  PM  
 Check Time Zone:  PST  MST  CST  EST  
 Other: \_\_\_\_\_

### Source Water Information:

PWS ID# (if applicable): \_\_\_\_\_  
 Source Name: Mountain Park Springs  
 City & State: Dobson, NC  
(If Different than Above)  
 Sample Collected By: Stewart Douglas  
(Signature)  
 Sample Collected By: Stewart Douglas  
(Please Print)  
 Sample Temperature: 56°f Field pH: 7.2  
 Measured at Source By: Stewart Douglas  
 Form Completed By: Stewart Douglas  
 Additional Comments:

For Laboratory Use ONLY	
Lab Accounting Information:	
Payment \$:	_____
Check #:	_____
Lab Comments/Special Instructions:	
Spring Source	
6°C	
Dioxin	
State Forms:	
Lab Sample Information:	
Date Received:	<u>RECEIVED, OCT 28 2025</u>
Time Received:	<u>: 0933</u>
Received By:	<u>AB</u>
<input checked="" type="checkbox"/> Sample receipt criteria checked & acceptable. <input type="checkbox"/> Deviations from acceptable sample receipt criteria noted on PSA form.	

Rev: SRT20250804 INCOMPLETE INFORMATION MAY DELAY ANALYSIS AND/OR INVALIDATE RESULTS

# ENV-FRM-MIN4-0150 v21 Sample Condition Upon Receipt

Person Examining & Date: CRL 10/30/25 PROJECT #: **WO# : 10755156**

Client Name: MTL PM: JMR Due Date: 11/14/25  
 CLIENT: NTL

Custody Seal Present:  YES  NO Seals Intact:  YES  NO  
 Tracking Number: 12 AIV 931 01 730 7 1742  See Exceptions form ENV-FRM-MIN4-0142.  
 Courier:  Client  Commercial  FedEx  Pace Courier/Field  SpeeDee  UPS  USPS

Packing Material:  Bubble Bags  Bubble Wrap  None  Other: Foam Biological Tissue Frozen:  YES  NO  
 Thermometer:  T1 (0461)  T2 (0431)  T3 (0459)  T4 (0402) Type of Ice:  Blue  Dry  Wet  Melted  None  
 T5 (0187)  T6 (0396)  T7 (0377)  T8 (0775)  
 T9 (0428)  01339252 (0710) Temp Blank:  YES  NO

NOTE: Temp should be ≤ 6°C, but above freezing.  
 Read Temp w/Temp Blank: 1.0 °C  
 Correction Factor: 40.3  
 Corrected Temp w/Temp Blank: 1.3 °C  
 Did Samples Originate in West Virginia:  YES  NO (list temps on exception)  
 Were All Container Temps Taken:  YES  NO  N/A  
 Average Corrected Temp (No Temp Blank Only): \_\_\_\_\_  
 See Exceptions form ENV-FRM-MIN4-0142.  1 Container

USDA Regulated Soil:  N/A - Water Sample/Other (describe): \_\_\_\_\_  
 Did Samples originate from one of the following states (check maps):  YES  NO Are samples from a foreign source (international, including Hawaii and Puerto Rico):  YES  NO  
 Circle State: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, VA

NOTE: If YES to either question, fill out a Regulated Soil Checklist (ENV-FRM-MIN4-0154) and include with SCUR/COC paperwork.

LOCATION (check one): <input type="checkbox"/> DULUTH <input type="checkbox"/> MINNEAPOLIS <input type="checkbox"/> VIRGINIA	YES	NO	N/A	COMMENT(S)
Chain of Custody Present and Filled Out? (i.e., Analysis/ID/Date/Time)	<input checked="" type="checkbox"/>	<input type="checkbox"/>		1.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		2.
Sampler Name and/or Signature on COC?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		4.
NOTE: < 24 hrs if lab filter is requested for Dissolved LL-Mercury by 1631E.				If Fecal: <input type="checkbox"/> < 8 hrs <input type="checkbox"/> > 8 hr but < 24 hrs <input type="checkbox"/> > 24 hr
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>		5. <input type="checkbox"/> BOD / cBOD <input type="checkbox"/> Fecal coliform <input type="checkbox"/> Hex Chrom <input type="checkbox"/> HPC <input type="checkbox"/> Nitrate <input type="checkbox"/> Nitrite <input type="checkbox"/> Ortho Phos <input type="checkbox"/> Total coliform/E. coli <input type="checkbox"/> Turbidity <input type="checkbox"/> Other: _____
Rush Turn Around Time Requested?	<input type="checkbox"/>	<input checked="" type="checkbox"/>		6. <input type="checkbox"/> Same Day <input type="checkbox"/> 1 Day <input type="checkbox"/> 2 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> 5 Day Due Date: _____
Sufficient Sample Volume? (If NO, list approximate volume in section 7.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>		7.
Correct Containers Used?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8.
- Pace Containers Used?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Containers Intact?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	9.
Field Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	10. Is sediment visible in the dissolved container: <input type="checkbox"/> YES <input type="checkbox"/> NO
ID/Date/Time Match? (If NO, fill out section 11.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11.
Matrix: <input type="checkbox"/> Oil <input type="checkbox"/> Soil <input checked="" type="checkbox"/> Water <input type="checkbox"/> Other				<input type="checkbox"/> See Exceptions form ENV-FRM-MIN4-0142
All containers needing acid/base preservation have been checked?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	12.

Sample #: \_\_\_\_\_  
 HNO3  H2SO4  NaOH  Zinc Acetate

pH Paper Lot #: \_\_\_\_\_  
 Residual Chlorine  0-6 Roll  0-6 Strip  0-14 Strip  
 Positive for Residual Chlorine (NaOH containers only):  YES  NO

Preserved containers in compliance with EPA recommendations? (HNO3, H2SO4, < 2 pH; NaOH > 9 Sulfide, NaOH > 10 Cyanide)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> See Exceptions form ENV-FRM-MIN4-0142
EXCEPTIONS (water only): VOA, Coliform, TOC/DOC, Oil & Grease, Phenols, DRO/8015, Dioxins, and PFAS	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Extra labels present on soil VOA or WIDRO containers? (soil only)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	13.
Headspace in Methyl Mercury Container?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	14.
Headspace in VOA Vials (greater than 6mm)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> See Exceptions form ENV-FRM-MIN4-0140
Trip Blanks Present?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	15.
Trip Blank Custody Seals Present?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Pace Trip Blank Lot # (if purchased): _____

CLIENT NOTIFICATION / RESOLUTION: \_\_\_\_\_ Labeled By: CRL Line: 4

Person Contacted & Date/Time: \_\_\_\_\_ PM Review & Date: Jeanne Richardson 10-30-25  
 NOTE: When there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEQ Certification Office.



PaceAnalyticalServices,LLC.  
1700ElmStreet  
Minneapolis,MN,55414

**Drinking Water Analysis Results**  
**2,3,7,8-TCDD -- USEPA Method 1613B**

Te#12-607-1700  
Fax#12-607-6444

Sample ID.....**487200** Date Collected.....10/27/2025 Spike.....200 pg  
Client..... National Testing Laborato Date Received.....10/30/2025 IS Spike.....2000 pg  
Lab Sample ID..... 10755156001 Date Extracted.....11/05/2025 CS Spike.....200 pg

	Sample 487200	Method Blank	Lab Spike	Lab Spike Dup
[2,3,7,8-TCDD]	ND	ND	--	--
LOQ	5.0 pg/L	5.0 pg/L	--	--
2,3,7,8-TCDD Recovery	--	--	99%	99%
pg Recovered	--	--	199pg/L	197pg/L
Spike Recovery Limit	--	--	73-146%	73-146%
RPD				0.9%
IS Recovery	<b>73%</b>	67%	56%	62%
pg Recovered	1456 pg/L	1338 pg/L	1127 pg/L	1248 pg/L
IS Recovery Limits	31-137%	31-137%	25-141%	25-141%
CS Recovery	<b>69%</b>	60%	48%	58%
pg Recovered	137 pg/L	120 pg/L	96 pg/L	116 pg/L
CS Recovery Limits	42-164%	42-164%	37-158%	37-158%
Filename	K251107B_05	K251107A_07	K251107A_03	K251107A_04
Analysis Date	11/08/2025	11/07/2025	11/07/2025	11/07/2025
Analysis Time	00:54	15:38	12:48	13:30
Analyst	CVS	CVS	CVS	CVS
Volume	0.998L	0.997L	0.997L	0.997L
Dilution	NA	NA	NA	NA
ICAL Date	10/22/2025	10/22/2025	10/22/2025	10/22/2025
CCAL Filename	K251107B_02	K251107A_02	K251107A_02	K251107A_02

- ! = Outside the Control Limits
- ND = Not Detected
- LOQ = Limit of Quantitation
- Limits = Control Limits from Method 1613 (10/94 Revision), Tables 6A and 7A
- RPD = Relative Percent Difference of Lab Spike Recoveries
- IS = Internal Standard [2,3,7,8-TCDD-<sup>13</sup>C<sub>12</sub>]
- CS = Cleanup Standard [2,3,7,8-TCDD-<sup>37</sup>Cl<sub>4</sub>]

Analyst: Chuck Suerp

Project No.....10755156

# Case Narrative

Client: National Testing Laboratories, Ltd  
Project: 487200 / 2272989

Job ID: 810-169678-1

**Job ID: 810-169678-1**

**Eurofins Eaton Analytical South Bend**

## Job Narrative 810-169678-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

### Receipt

The sample was received on 10/29/2025 10:15 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.9°C.

### GC/MS Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



# Client Sample Results

Client: National Testing Laboratories, Ltd  
 Project/Site: 487200 / 2272989

Job ID: 810-169678-1

**Client Sample ID: 487200 / 2272989**

**Lab Sample ID: 810-169678-1**

Date Collected: 10/27/25 13:24

Matrix: Drinking Water

Date Received: 10/29/25 10:15

## Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alachlor	<0.10		0.10		ug/L		10/30/25 10:02	10/31/25 02:44	1
Atrazine	<0.10		0.10		ug/L		10/30/25 10:02	10/31/25 02:44	1
Benzo[a]pyrene	<0.021		0.021		ug/L		10/30/25 10:02	10/31/25 02:44	1
Butachlor	<0.10		0.10		ug/L		10/30/25 10:02	10/31/25 02:44	1
Di(2-ethylhexyl)adipate	<0.62		0.62		ug/L		10/30/25 10:02	10/31/25 02:44	1
Di (2-ethylhexyl)phthalate	<0.62		0.62		ug/L		10/30/25 10:02	10/31/25 02:44	1
Metolachlor	<0.10		0.10		ug/L		10/30/25 10:02	10/31/25 02:44	1
Metribuzin	<0.10		0.10		ug/L		10/30/25 10:02	10/31/25 02:44	1
Molinate	<0.10		0.10		ug/L		10/30/25 10:02	10/31/25 02:44	1
Propachlor	<0.10		0.10		ug/L		10/30/25 10:02	10/31/25 02:44	1
Simazine	<0.072		0.072		ug/L		10/30/25 10:02	10/31/25 02:44	1
Thiobencarb	<0.10		0.10		ug/L		10/30/25 10:02	10/31/25 02:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene (Surr)	100		70 - 130				10/30/25 10:02	10/31/25 02:44	1
Perylene-d12 (Surr)	101		70 - 130				10/30/25 10:02	10/31/25 02:44	1
Triphenylphosphate (Surr)	107		70 - 130				10/30/25 10:02	10/31/25 02:44	1

## General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Total (EPA 335.4)	<0.0050		0.0050		mg/L		10/30/25 14:41	10/30/25 18:11	1



## Definitions/Glossary

Client: National Testing Laboratories, Ltd  
Project/Site: 487200 / 2272989

Job ID: 810-169678-1

### Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count



# Lab Chronicle

Client: National Testing Laboratories, Ltd  
Project/Site: 487200 / 2272989

Job ID: 810-169678-1

**Client Sample ID: 487200 / 2272989**

**Lab Sample ID: 810-169678-1**

**Date Collected: 10/27/25 13:24**

**Matrix: Drinking Water**

**Date Received: 10/29/25 10:15**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	525.2			166913	DC	EA SB	10/30/25 10:02
Total/NA	Analysis	525.2		1	167029	BC	EA SB	10/31/25 02:44
Total/NA	Prep	Distill/CN			166951	GB	EA SB	10/30/25 14:41
Total/NA	Analysis	335.4		1	167031	GB	EA SB	10/30/25 18:11

**Laboratory References:**

EA SB = Eurofins Eaton Analytical South Bend, 110 S Hill Street, South Bend, IN 46617, TEL (574)233-4777



# Accreditation/Certification Summary

Client: National Testing Laboratories, Ltd  
 Project/Site: 487200 / 2272989

Job ID: 810-169678-1

## Laboratory: Eurofins Eaton Analytical South Bend

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Ohio	State	87775	06-30-26

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
335.4	Distill/CN	Drinking Water	Cyanide, Total
525.2	525.2	Drinking Water	Alachlor
525.2	525.2	Drinking Water	Atrazine
525.2	525.2	Drinking Water	Benzo[a]pyrene
525.2	525.2	Drinking Water	Butachlor
525.2	525.2	Drinking Water	Di (2-ethylhexyl)phthalate
525.2	525.2	Drinking Water	Di(2-ethylhexyl)adipate
525.2	525.2	Drinking Water	Metolachlor
525.2	525.2	Drinking Water	Metribuzin
525.2	525.2	Drinking Water	Molinate
525.2	525.2	Drinking Water	Propachlor
525.2	525.2	Drinking Water	Simazine
525.2	525.2	Drinking Water	Thiobencarb



# Method Summary

Client: National Testing Laboratories, Ltd  
Project/Site: 487200 / 2272989

Job ID: 810-169678-1

Method	Method Description	Protocol	Laboratory
525.2	Semivolatile Organic Compounds (GC/MS)	EPA	EA SB
335.4	Cyanide, Total	EPA	EA SB
525.2	Extraction of Semivolatile Compounds	EPA	EA SB
Distill/CN	Distillation, Cyanide	None	EA SB

**Protocol References:**

EPA = US Environmental Protection Agency  
None = None

**Laboratory References:**

EA SB = Eurofins Eaton Analytical South Bend, 110 S Hill Street, South Bend, IN 46617, TEL (574)233-4777



# Sample Summary

Client: National Testing Laboratories, Ltd  
Project/Site: 487200 / 2272989

Job ID: 810-169678-1

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
810-169678-1	487200 / 2272989	Drinking Water	10/27/25 13:24	10/29/25 10:15	North Carolina

---





Quality Water Analysis

1-800-458-3330

# Beverage - Source Water

Order Number: 2272989  
Order Date: 10/15/2025  
Sample Number: 487200

Product: FDATABASE G

Paid: No Method: Purchase Order P.O.: Winston-Salem, NC

TSR: BJS

Winston-Salem

NC 27101-6127

Date Sampled: 10/27/25

Time Sampled: 13:24  AM  PM

Check Time Zone:  PST  MST  CST  EST  
 Other: \_\_\_\_\_

### Source Water Information:

PWS ID# (if applicable): \_\_\_\_\_

Source Name: Mountain Park Springs

City & State: Dobson, NC

Sample Collected By: Stewart Douglas (Signature)

Sample Collected By: Stewart Douglas (Please Print)

Sample Temperature: 56°F Field pH: 7.2

Measured at Source By: Stewart Douglas

Form Completed By: Stewart Douglas

Additional Comments:

For Laboratory Use ONLY	
Lab Accounting Information:	
Payment \$:	_____
Check #:	_____
Lab Comments/Special Instructions:	
Spring Source	
6°C	
Cn, 525.2 (REG Sub)	
State Forms:	
Lab Sample Information:	
Date Received:	RECEIVED, OCT 28 2025
Time Received:	: 0933
Received By:	AB
<input checked="" type="checkbox"/> Sample receipt criteria checked & acceptable. <input type="checkbox"/> Deviations from acceptable sample receipt criteria noted on PSA form.	

